

SBCDLLP/ENV/ARANG/25-26/466

Date: 24/05/2025

To
The Regional Officer,
Integrated Regional Office,
Ministry of Environment and Forest, Climate Change
Ground Floor Aranya Bhavan, North Block, Sec- 19
Atal Nagar, Naya Raipur (C.G.) - 492002

Sub: Submission of Six-monthly Compliance Report for the period of October 2024 – March 2025.

Ref: Environmental Clearance No. F.No. J-11011/470/2021-IA-II(I) dated 16/12/2021 and subsequent amendment in environment clearance F.no. J-11011/470/2021-IA-II(I) dated 21/03/2022 from Govt of India, Ministry of Environment and Forests, New Delhi regarding Production of Ethanol 360 KLPD (200 KLPD + 160 KLPD) and Captive Power Plant (12 MW) at Shri Bajrang Chemical Distillery LLP, Arang, Raipur (C.G.).


Dear Sir,

With reference to above cited subject, please find enclosed herewith the status of Compliance conditions for the period **October 2024 – March 2025** in compliance of the Environmental Clearance granted by Govt of India, Ministry of Environment and Forests, New Delhi vide their letter No. F.No. J-11011/470/2021-IA-II(I) Dated 16/12/2021 and subsequent amendment in environment clearance F.no. J-11011/470/2021-IA-II(I) Dated 21/03/2022 for Production of Ethanol 360 KLPD (200 KLPD + 160 KLPD) and Captive Power Generation (12 MW) at Shri Bajrang Chemical Distillery LLP, Arang, Raipur (C.G.).

Hope, you will find the above in order.

Thanking you,

For, SHRI BAJRANG CHEMICAL DISTILLERY LLP



G.R. Telang
(DGM – EHS)

CC- 1. Regional officer, CECB, New Office Building, Ring Road no.-2, Tatibandh, Raipur- 492099 (CG)
2. Member Secretary, Chhattisgarh Environment Conservation Board, Paryavas bhawan, North Block, Sector-19, Atal Nagar, Raipur (C.G.).

STATUS OF COMPLIANCE CONDITIONS STIPULATED IN ENVIRONMENT CLEARANCE F. No. J-11011/470/2021-IA-II(I) DATED 16/12/2021 AND SUBSEQUENT AMENEDMENT IN ENVIRONMENT CLEARANCE F.no. J-11011/470/2021-IA-II(I) DATED 21/03/2022 FOR GRAIN BASED DISTILLERY PLANT CAPACITY OF 1 x 200 KLPD + 1 x 160 KLPD with 12 MW POWER PLANT IN THE NAME OF SHRI BAJRANG CHEMICAL DISTILLERY LLP, ARANG, TEHSIL - ARANG, DIST-RAIPUR, CHHATTISGARH.

S. No.	Compliance Condition	Status as on 31/03/2025
A) Specific Condition:		
(i)	As per OM dated 16th June, 2021, project falls in category B2 and the proposed capacity of 360 KLPD shall be only be used for fuel ethanol manufacturing as per self-certification in form of an affidavit by the Project Proponent. Provided that subsequently if it is found that the ethanol, produced based on the EC granted as per this dispensation, is not being used completely for EBP Programme, or if ethanol is not being produced, or if the said distillery is not fulfilling the requirements based on which the project has been appraised as category B2 project, the EC shall stand cancelled.	Agreed and shall be followed.
(ii)	As per Ministry's OM No. 22-76/2014-IA-III dated 07th October, 2014, EC shall become invalid in case the actual land for the project site turns out to be different from the land proposed or the proposed land is not under possession of the Industry.	Agreed. Complete land is in the possession of the company. Copy of land diversion is enclosed herewith as Annexure 1.
(iii)	PP shall meet 10% of the total power requirement from solar power/wind power.	Agreed. Company Group has already Established and operating a 50 MW DC / 38.50 MW AC Solar Power Plant at Village - Kaudiya & Bhaisamuda, Tehsil - Nawagarh, Bemetara District (C.G.). The Power Generated in the same is being utilized for captive Consumption and also for this plant. Details of solar plant is enclosed at annexure 2.
(iv)	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of Environmental Management, and Risk Mitigation Measures relating to the project shall be implemented.	Agreed and same is being followed.
(v)	The project proponent will treat and reuse the treated water within the factory and no waste or	For Industrial & Domestic discharge water treatment, suitable capacity MEE with CPU

	treated water shall be discharged outside the premises.	and STP are constructed. Treated water is being used within the factory premises for Plantation and Dust Suppression. No waste or treated water is being discharged outside the plant premises. Zero liquid discharge is being maintained all the time. Photographs of ETP (MEE+CPU+WTP) and STP is enclosed as annexure 3.
(vi)	Total Fresh water requirement shall not exceed 1620 KLPD which will be met from River Mahanadi. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard, and renewed from time to time. No ground water recharge shall be permitted within the premises. Industry shall construct a storage pond of 60 days capacity and the accumulated water to be used as fresh water thereby reducing fresh water consumption.	Agreed and being followed all the time. Process water is being sourced from the Samoda barrage constructed on Mahanadi River, while for Domestic & drinking purposes, we have granted 60 KLD groundwater withdrawal permission from Central Ground Water Board, Raipur (C.G.). 2 Nos. of RWH pits have been constructed within the premises for collection of rooftop rainwater. We have also constructed a water storage pond of 60 days capacity and the accumulated water is being used as fresh water and thereby reducing fresh water consumption. Photographs enclosed as Annexure 4
(vii)	The spent wash shall be concentrated and dried to form DDGS to be used as cattle feed. Brick manufacturing unit will be installed within the plant premises for utilization of fly ash.	Spent wash is being concentrated and dried to form DDGS and being sold as cattle feed. Brick manufacturing unit having capacity 25000 No. Bricks/day is installed within the plant premises for utilization of fly ash and balance fly ash is being supplied to nearby Fly ash brick manufacturing units.
(viii)	CO2 generated from the process, shall be bottled/made solid ice and utilized/sold to authorized vendors.	CO2 generated from process is being made solid ice and utilized/sold to authorized vendors.
(ix)	PP shall allocate at least Rs. 50 Lakhs for Occupational Health Safety. Occupational Health Centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.	Agreed and is being followed. Regular health check-ups of employees are being carried out and records are being maintained, as per the Factories Act. Form-21 is attached as Annexure-5
(x)	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.	Regular Training is being provided to all employees on safety and health aspects of chemicals handling. Safety and visual reality training is being provided to employees on

		regular intervals. Record of training is enclosed herewith as Annexure-6
(xi)	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the norms. PESO certificate shall be obtained.	We have provided fire protection system & equipment's at desired locations, as per the norms. In addition we have 1 no. fire tender available at plant site. We have obtained fire NOC from Fire Department. Copy is enclosed herewith. PESO certificate has been obtained. Annexure-7
(xii)	Process organic residue and spent carbon, if any, shall be sent to Cement and other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.	Agreed and shall be followed.
(xiii)	The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high pressure hoses for equipment clearing to reduce wastewater generation.	Agreed and same is being followed.
(xiv)	The green belt of at least 5-10 m width shall be developed in nearly 33% of the total project area, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map.	Agreed and shall be followed. Green belt is being developed in 33% area of Total Plant Area with consultation of State Forest Department. Selection of plant species are as per the CPCB guidelines. So far, we have planted more than 16,500 plants within the plant premises. Plantation report is attached as Annexure 8
(xv)	PP proposed to allocate Rs. 5.1 Crores towards CER and it shall be used for construction/up-gradation of school building with provision of facilities e.g. Class rooms, playground, Laboratory, Library, Computer class, toilets, Drinking Water Facilities, solar light etc. Further, the works under CER Plan shall be implemented in consultation with District Collector before commissioning of the project.	Agreed and shall be followed in a time phase manner. Our plant operations commenced from 12/12/2023, we have made a five-year planning for utilisation of CER funds embarked for our project which is based on recommendation from Gram panchayats falling nearby our plant. Recommendation

		from gram panchayat & Detailed CER plan is enclosed as Annexure 9
(xvi)	There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products and no parking to be allowed outside on public places. Out of the total project area, 15% shall be allotted solely for parking purposes.	15% of the total plant area has been reserved for vehicle parking.
(xvii)	Storage of raw materials shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.	Raw materials are being stored in Silos and covered areas, to avoid dust pollution and other fugitive emissions.
(xviii)	Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.	Continuous online stack emission monitoring system has been installed in our RCC stack and same is connected with CECB/CPCB server. We have installed web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises. Annexure 10
(xix)	A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental engineering/ specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	We have constructed a separate Environment Management Cell. A well-equipped with full-fledged laboratory facilities has been set up in our Raipur Plant. Annexure 11

General Condition

(i)	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Agreed and shall be followed.
(ii)	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.	Agreed, All necessary steps for Energy Conservation and Environment betterment are being taken.

(iii)	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	Agreed and is being maintained within the prescribed limits. Apart from that, PPEs like Ear plugs are being provided to the concerned employees, those are working in noise-prone areas. Annexure 10
(iv)	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	Our plant operations commenced from 12/12/2023, we have made a five-year planning for utilisation of CER funds embarked for our project which is based on recommendation from Gram panchayats falling nearby our plant. Recommendation from gram panchayat & Detailed CER plan is enclosed as Annexure 9
(v)	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/pollution control measures shall not be diverted for any other purpose.	Agreed and shall be maintained.
(vi)	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal.	Environment Clearance Copies already shared with Concerned Panchayat, Zila Parishad/Municipal Corporation, Urban local bodies, etc. for their information.
(vii)	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.	Agreed and is being maintained we are submitting regularly six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data both in hard copies as well as by e-mail to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report is posted on the website of the company. - Annexure 12

(viii)	The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.	Agreed and is being maintained. Form-V of FY 2023-24 is attached as Annexure 13
(ix)	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in/ . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	The Same is advertised in the newspapers. As instructed, -Annexure 14
(x)	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	We have informed the Regional Office Moefcc, Head office CECB & the ministry about the Commissioning of the project. The date of commencement of production 12.12.2023.
(xi)	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.	Agreed.





फॉर्म बी-1 किश्तबंदी खतौनी (आसामीवार)

वर्ष: 2021-2022

Annexure 1

भूमि का ब्योरा हेक्टर में एवं करो का ब्योरा रुपये पैसे में

Document Id -20220801440200065

ग्राम : आरंग

हल्का : 00054

रा नि : आरंग

तहसील : आरंग

जिला : रायपुर

	खाते के ब्यौरे				चालू और बकाया माँग				वसूलियाँ				खजाने में जमा करने के ब्यौरे			वर्ष की समाप्ति पर बाकी			वर्ष की समाप्ति पर बाकी वसूलियाँ			
खाता क्रमांक	भू-स्वामी या शासकीय पट्टेदार का नाम	खातो मे शामिल प्रत्येक भू-मापन क्र. का क्र.	प्रत्येक भू-मापन क्र.का क्षेत्रफल और खाते का कुल क्षेत्रफल	किश्तों के ब्यौरे	भू-राजस्व	उपकर	योग	भुगतान करने वाले व्यक्ति का नाम	भूगतान की तारीख	भू-राजस्व	उपकर अबवाब	योग	रकम जमा करने वाले का नाम	जमा करने की तारीख	चालान क्रमांक	भू-राजस्व	उपकर	योग	भू-राजस्व	उपकर	योग	जारी की गई बलात आदेशिका के ब्यौरे
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
4714	(1)नाम - श्री बजरंग केमिकल डिस्टीलरी एल एल पी द्वारा डायरेक्टर बजरंग गोयल पिता नरेन्द्र गोयल वर्ग- सामान्य (जाति) पता- हरी कुंज , शंकर नगर , रायपुर स्वामित्व -भूमिस्वामी - व्यपवर्तित	1105/2	0.5140 (55326.50 sq.ft)		760858.0300																	ऋण पुस्तिका:P-3348306 औद्योगिक प्रयोजन नामांतरण क्रमांक 4402147/010822/15481 आदेश क्रमांक 2022011124000 33अ/2वर्ष 2021-22 / 15 Jul 2022



फॉर्म बी-1 किश्तबंदी खतौनी (आसामीवार)

वर्ष: 2021-2022

भूमि का ब्योरा हेक्टर मे एवं करो का ब्योरा रुपये पैसो मे

Document Id -20220801440200065

ग्राम : आरंग

हल्का : 00054

रा नि : आरंग

तहसील : आरंग

जिला : रायपुर

	खाते के ब्यौरे				चालू और बकाया माँग				वसूलियाँ				खजाने मे जमा करने के ब्यौरे			वर्ष की समाप्ति पर बाकी			वर्ष की समाप्ति पर बाकी वसूलियाँ			
खाता क्रमांक	भू-स्वामी या शासकीय पट्टेदार का नाम	खातो मे शामिल प्रत्येक भू-मापन क्र. का क्र.	प्रत्येक भू-मापन क्र.का क्षेत्रफल और खाते का कुल क्षेत्रफल	किश्तों के ब्यौरे	भू-राजस्व	उपकर	योग	भुगतान करने वाले व्यक्ति का नाम	भूगतान की तारीख	भू-राजस्व	उपकर अबवाब	योग	रकम जमा करने वाले का नाम	जमा करने की तारीख	चालान क्रमांक	भू-राजस्व	उपकर	योग	भू-राजस्व	उपकर	योग	जारी की गई बलात आदेशिका के ब्यौरे
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
		1105/4	0.5140																			नामांतरण क्रमांक 4402147/291221/317856 आदेश क्रमांक CG 6304430112021017 / 29 Dec 2021 नामांतरण क्रमांक 4402147/280921/37379 आदेश क्रमांक अभिलेख अनुसार / 28 Sep 2021
		1105/5	0.8500																			



फॉर्म बी-1 किश्तबंदी खतौनी (आसामीवार)

वर्ष: 2021-2022

भूमि का ब्योरा हेक्टर में एवं करो का ब्योरा रुपये पैसे में

Document Id -20220801440200065

ग्राम : आरंग

हल्का : 00054

रा नि : आरंग

तहसील : आरंग

जिला : रायपुर

	खाते के ब्यौरे				चालू और बकाया माँग				वसूलियाँ				खजाने में जमा करने के ब्यौरे			वर्ष की समाप्ति पर बाकी			वर्ष की समाप्ति पर बाकी वसूलियाँ			
खाता क्रमांक	भू-स्वामी या शासकीय पट्टेदार का नाम	खातो में शामिल प्रत्येक भू-मापन क्र. का क्र.	प्रत्येक भू-मापन क्र.का क्षेत्रफल और खाते का कुल क्षेत्रफल	किश्तों के ब्यौरे	भू-राजस्व	उपकर	योग	भुगतान करने वाले व्यक्ति का नाम	भुगतान की तारीख	भू-राजस्व	उपकर अबवाब	योग	रकम जमा करने वाले का नाम	जमा करने की तारीख	चालान क्रमांक	भू-राजस्व	उपकर	योग	भू-राजस्व	उपकर	योग	जारी की गई बलात आदेशिका के ब्यौरे
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
		1105/6	0.5140																			नामांतरण क्रमांक 4402147/291221/317839 आदेश क्रमांक CG 6304430112021017 / 29 Dec 2021
		1105/7	0.1210																			नामांतरण क्रमांक 4402147/010822/15492 आदेश क्रमांक 202201112400033अ/2वर्ष 2021-22 / 15 Jul 2022



फॉर्म बी-1 किश्तबंदी खतौनी (आसामीवार)

वर्ष: 2021-2022

भूमि का ब्योरा हेक्टर में एवं करो का ब्योरा रुपये पैसे में

Document Id -20220801440200065

ग्राम : आरंग

हल्का : 00054

रा नि : आरंग

तहसील : आरंग

जिला : रायपुर

	खाते के ब्यौरे				चालू और बकाया माँग				वसूलियाँ				खजाने में जमा करने के ब्यौरे			वर्ष की समाप्ति पर बाकी			वर्ष की समाप्ति पर बाकी वसूलियाँ			
खाता क्रमांक	भू-स्वामी या शासकीय पट्टेदार का नाम	खातो मे शामिल प्रत्येक भू-मापन क्र. का क्र.	प्रत्येक भू-मापन क्र.का क्षेत्रफल और खाते का कुल क्षेत्रफल	किश्तों के ब्यौरे	भू-राजस्व	उपकर	योग	भुगतान करने वाले व्यक्ति का नाम	भुगतान की तारीख	भू-राजस्व	उपकर अबवाब	योग	रकम जमा करने वाले का नाम	जमा करने की तारीख	चालान क्रमांक	भू-राजस्व	उपकर	योग	भू-राजस्व	उपकर	योग	जारी की गई बलात आदेशिका के ब्यौरे
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
		1105/9	0.5130																			नामांतरण क्रमांक 4402147/291221/317867 आदेश क्रमांक CG 6304430112021017 / 29 Dec 2021
		1105/10	0.8500																			नामांतरण क्रमांक 4402147/010822/15501 आदेश क्रमांक 202201112400033अ/2वर्ष 2021-22 / 15 Jul 2022



फॉर्म बी-1 किश्तबंदी खतौनी (आसामीवार)

वर्ष: 2021-2022

भूमि का ब्योरा हेक्टर में एवं करो का ब्योरा रुपये पैसे में

Document Id -20220801440200065

ग्राम : आरंग

हल्का : 00054

रा नि : आरंग

तहसील : आरंग

जिला : रायपुर

	खाते के ब्यौरे				चालू और बकाया माँग				वसूलियाँ				खजाने में जमा करने के ब्यौरे			वर्ष की समाप्ति पर बाकी			वर्ष की समाप्ति पर बाकी वसूलियाँ			
खाता क्रमांक	भू-स्वामी या शासकीय पट्टेदार का नाम	खातो मे शामिल प्रत्येक भू-मापन क्र. का क्र.	प्रत्येक भू-मापन क्र.का क्षेत्रफल और खाते का कुल क्षेत्रफल	किश्तों के ब्यौरे	भू-राजस्व	उपकर	योग	भुगतान करने वाले व्यक्ति का नाम	भुगतान की तारीख	भू-राजस्व	उपकर अबवाब	योग	रकम जमा करने वाले का नाम	जमा करने की तारीख	चालान क्रमांक	भू-राजस्व	उपकर	योग	भू-राजस्व	उपकर	योग	जारी की गई बलात आदेशिका के ब्यौरे
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
		1105/11	0.5140																			नामांतरण क्रमांक 4402147/301221/319458 आदेश क्रमांक CG 6304430112021014 / 29 Dec 2021
		1105/12	0.8500																			नामांतरण क्रमांक 4402147/291221/317853 आदेश क्रमांक CG 6304430112021017 / 29 Dec 2021



फॉर्म बी-1 किश्तबंदी खतौनी (आसामीवार)

वर्ष: 2021-2022

भूमि का ब्योरा हेक्टर मे एवं करो का ब्योरा रुपये पैसो मे

Document Id -20220801440200065

ग्राम : आरंग

हल्का : 00054

रा नि : आरंग

तहसील : आरंग

जिला : रायपुर

	खाते के ब्यौरे				चालू और बकाया माँग				वसूलियाँ				खजाने मे जमा करने के ब्यौरे			वर्ष की समाप्ति पर बाकी			वर्ष की समाप्ति पर बाकी वसूलियाँ			
खाता क्रमांक	भू-स्वामी या शासकीय पट्टेदार का नाम	खातो मे शामिल प्रत्येक भू-मापन क्र. का क्र.	प्रत्येक भू-मापन क्र.का क्षेत्रफल और खाते का कुल क्षेत्रफल	किश्तों के ब्यौरे	भू-राजस्व	उपकर	योग	भुगतान करने वाले व्यक्ति का नाम	भूगतान की तारीख	भू-राजस्व	उपकर अबवाब	योग	रकम जमा करने वाले का नाम	जमा करने की तारीख	चालान क्रमांक	भू-राजस्व	उपकर	योग	भू-राजस्व	उपकर	योग	जारी की गई बलात आदेशिका के ब्यौरे
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
		1105/14	0.3930																			???? ?? ???.???. 65 ?.??. 19/5/2010 नामांतरण क्रमांक 4402147/311221 /322323 आदेश क्रमांक CG 6304430112021 009 / 29 Dec 2021



फॉर्म बी-1 किश्तबंदी खतौनी (आसामीवार)

वर्ष: 2021-2022

भूमि का ब्योरा हेक्टर मे एवं करो का ब्योरा रुपये पैसो मे

Document Id -20220801440200065

ग्राम : आरंग

हल्का : 00054

रा नि : आरंग

तहसील : आरंग

जिला : रायपुर

	खाते के ब्यौरे				चालू और बकाया माँग				वसूलियाँ				खजाने मे जमा करने के ब्यौरे			वर्ष की समाप्ति पर बाकी			वर्ष की समाप्ति पर बाकी वसूलियाँ			
खाता क्रमांक	भू-स्वामी या शासकीय पट्टेदार का नाम	खातो मे शामिल प्रत्येक भू-मापन क्र. का क्र.	प्रत्येक भू-मापन क्र.का क्षेत्रफल और खाते का कुल क्षेत्रफल	किश्तों के ब्यौरे	भू-राजस्व	उपकर	योग	भुगतान करने वाले व्यक्ति का नाम	भुगतान की तारीख	भू-राजस्व	उपकर अबवाब	योग	रकम जमा करने वाले का नाम	जमा करने की तारीख	चालान क्रमांक	भू-राजस्व	उपकर	योग	भू-राजस्व	उपकर	योग	जारी की गई बलात आदेशिका के ब्यौरे
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
		1109	0.2750																			नामांतरण क्रमांक 4402147/301221/319660 आदेश क्रमांक CG 6304430112021014 / 29 Dec 2021
		1136	0.2910																			नामांतरण क्रमांक 4402147/301221/320599 आदेश क्रमांक CG 6304430112021009 / 29 Dec 2021



फॉर्म बी-1 किश्तबंदी खतौनी (आसामीवार)

वर्ष: 2021-2022

भूमि का ब्योरा हेक्टर में एवं करो का ब्योरा रुपये पैसे में

Document Id -20220801440200065

ग्राम : आरंग

हल्का : 00054

रा नि : आरंग

तहसील : आरंग

जिला : रायपुर

	खाते के ब्यौरे				चालू और बकाया माँग				वसूलियाँ				खजाने में जमा करने के ब्यौरे			वर्ष की समाप्ति पर बाकी			वर्ष की समाप्ति पर बाकी वसूलियाँ			
खाता क्रमांक	भू-स्वामी या शासकीय पट्टेदार का नाम	खातो में शामिल प्रत्येक भू-मापन क्र. का क्र.	प्रत्येक भू-मापन क्र.का क्षेत्रफल और खाते का कुल क्षेत्रफल	किश्तों के ब्यौरे	भू-राजस्व	उपकर	योग	भुगतान करने वाले व्यक्ति का नाम	भूगतान की तारीख	भू-राजस्व	उपकर अबवाब	योग	रकम जमा करने वाले का नाम	जमा करने की तारीख	चालान क्रमांक	भू-राजस्व	उपकर	योग	भू-राजस्व	उपकर	योग	जारी की गई बलात आदेशिका के ब्यौरे
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
		1137/1	0.2060																			नामांतरण क्रमांक 4402147/301221/320607 आदेश क्रमांक CG 6304430112021005 / 29 Dec 2021
		1137/2	0.2100																			नामांतरण क्रमांक 4402147/301221/320612 आदेश क्रमांक CG 6304430112021010 / 29 Dec 2021



फॉर्म बी-1 किश्तबंदी खतौनी (आसामीवार)

वर्ष: 2021-2022

भूमि का ब्योरा हेक्टर में एवं करो का ब्योरा रुपये पैसे में

Document Id -20220801440200065

ग्राम : आरंग

हल्का : 00054

रा नि : आरंग

तहसील : आरंग

जिला : रायपुर

	खाते के ब्यौरे				चालू और बकाया माँग				वसूलियाँ				खजाने में जमा करने के ब्यौरे			वर्ष की समाप्ति पर बाकी			वर्ष की समाप्ति पर बाकी वसूलियाँ			
खाता क्रमांक	भू-स्वामी या शासकीय पट्टेदार का नाम	खातो में शामिल प्रत्येक भू-मापन क्र. का क्र.	प्रत्येक भू-मापन क्र.का क्षेत्रफल और खाते का कुल क्षेत्रफल	किश्तों के ब्यौरे	भू-राजस्व	उपकर	योग	भुगतान करने वाले व्यक्ति का नाम	भुगतान की तारीख	भू-राजस्व	उपकर अबवाब	योग	रकम जमा करने वाले का नाम	जमा करने की तारीख	चालान क्रमांक	भू-राजस्व	उपकर	योग	भू-राजस्व	उपकर	योग	जारी की गई बलात आदेशिका के ब्यौरे
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
		1138	0.2510																			नामांतरण क्रमांक 4402147/301221/319794 आदेश क्रमांक CG 6304430112021008 / 29 Dec 2021
		1139	0.3440																			नामांतरण क्रमांक 4402147/301221/319697 आदेश क्रमांक CG 6304430112021015 / 29 Dec 2021



फॉर्म बी-1 किश्तबंदी खतौनी (आसामीवार)

वर्ष: 2021-2022

भूमि का ब्योरा हेक्टर मे एवं करो का ब्योरा रुपये पैसो मे

Document Id -20220801440200065

ग्राम : आरंग

हल्का : 00054

रा नि : आरंग

तहसील : आरंग

जिला : रायपुर

	खाते के ब्यौरे				चालू और बकाया माँग				वसूलियाँ				खजाने मे जमा करने के ब्यौरे			वर्ष की समाप्ति पर बाकी			वर्ष की समाप्ति पर बाकी वसूलियाँ			
खाता क्रमांक	भू-स्वामी या शासकीय पट्टेदार का नाम	खातो मे शामिल प्रत्येक भू-मापन क्र. का क्र.	प्रत्येक भू-मापन क्र.का क्षेत्रफल और खाते का कुल क्षेत्रफल	किश्तों के ब्यौरे	भू-राजस्व	उपकर	योग	भुगतान करने वाले व्यक्ति का नाम	भूगतान की तारीख	भू-राजस्व	उपकर अबवाब	योग	रकम जमा करने वाले का नाम	जमा करने की तारीख	चालान क्रमांक	भू-राजस्व	उपकर	योग	भू-राजस्व	उपकर	योग	जारी की गई बलात आदेशिका के ब्यौरे
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
		1142/1	0.0240																			नामांतरण क्रमांक 4402147/301221/319784 आदेश क्रमांक CG 6304430112021011 / 29 Dec 2021
		1143	0.4940																			नामांतरण क्रमांक 4402147/301221/320530 आदेश क्रमांक CG 6304430112021009 / 29 Dec 2021



फॉर्म बी-1 किश्तबंदी खतौनी (आसामीवार)

वर्ष: 2021-2022

भूमि का ब्योरा हेक्टर में एवं करो का ब्योरा रुपये पैसे में

Document Id -20220801440200065

ग्राम : आरंग

हल्का : 00054

रा नि : आरंग

तहसील : आरंग

जिला : रायपुर

	खाते के ब्यौरे				चालू और बकाया माँग				वसूलियाँ				खजाने में जमा करने के ब्यौरे			वर्ष की समाप्ति पर बाकी			वर्ष की समाप्ति पर बाकी वसूलियाँ			
खाता क्रमांक	भू-स्वामी या शासकीय पट्टेदार का नाम	खातो में शामिल प्रत्येक भू-मापन क्र. का क्र.	प्रत्येक भू-मापन क्र.का क्षेत्रफल और खाते का कुल क्षेत्रफल	किश्तों के ब्यौरे	भू-राजस्व	उपकर	योग	भुगतान करने वाले व्यक्ति का नाम	भूगतान की तारीख	भू-राजस्व	उपकर अबवाब	योग	रकम जमा करने वाले का नाम	जमा करने की तारीख	चालान क्रमांक	भू-राजस्व	उपकर	योग	भू-राजस्व	उपकर	योग	जारी की गई बलात आदेशिका के ब्यौरे
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
		1144	0.4450																			???? ?? ???.???.66 ?.???.19/5/2010 नामांतरण क्रमांक 4402147/301221/319708 आदेश क्रमांक CG 6304430112021011 / 29 Dec 2021



फॉर्म बी-1 किश्तबंदी खतौनी (आसामीवार)

वर्ष: 2021-2022

भूमि का ब्योरा हेक्टर में एवं करो का ब्योरा रुपये पैसे में

Document Id -20220801440200065

ग्राम : आरंग

हल्का : 00054

रा नि : आरंग

तहसील : आरंग

जिला : रायपुर

	खाते के ब्यौरे				चालू और बकाया माँग				वसूलियाँ				खजाने में जमा करने के ब्यौरे			वर्ष की समाप्ति पर बाकी			वर्ष की समाप्ति पर बाकी वसूलियाँ			
खाता क्रमांक	भू-स्वामी या शासकीय पट्टेदार का नाम	खातो में शामिल प्रत्येक भू-मापन क्र. का क्र.	प्रत्येक भू-मापन क्र. का क्षेत्रफल और खाते का कुल क्षेत्रफल	किश्तों के ब्यौरे	भू-राजस्व	उपकर	योग	भुगतान करने वाले व्यक्ति का नाम	भुगतान की तारीख	भू-राजस्व	उपकर अबवाब	योग	रकम जमा करने वाले का नाम	जमा करने की तारीख	चालान क्रमांक	भू-राजस्व	उपकर	योग	भू-राजस्व	उपकर	योग	जारी की गई बलात आदेशिका के ब्यौरे
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
		1145	0.5210																			नामांतरण क्रमांक 4402147/301221/320671 आदेश क्रमांक CG 6304430112021005 / 29 Dec 2021
		1146/1	0.5310																			नामांतरण क्रमांक 4402147/301221/320675 आदेश क्रमांक CG 6304430112021010 / 29 Dec 2021



फॉर्म बी-1 किश्तबंदी खतौनी (आसामीवार)

वर्ष: 2021-2022

भूमि का ब्योरा हेक्टर में एवं करो का ब्योरा रुपये पैसे में

Document Id -20220801440200065

ग्राम : आरंग

हल्का : 00054

रा नि : आरंग

तहसील : आरंग

जिला : रायपुर

	खाते के ब्यौरे				चालू और बकाया माँग				वसूलियाँ				खजाने में जमा करने के ब्यौरे			वर्ष की समाप्ति पर बाकी			वर्ष की समाप्ति पर बाकी वसूलियाँ			
खाता क्रमांक	भू-स्वामी या शासकीय पट्टेदार का नाम	खातो में शामिल प्रत्येक भू-मापन क्र. का क्र.	प्रत्येक भू-मापन क्र.का क्षेत्रफल और खाते का कुल क्षेत्रफल	किश्तों के ब्यौरे	भू-राजस्व	उपकर	योग	भुगतान करने वाले व्यक्ति का नाम	भुगतान की तारीख	भू-राजस्व	उपकर अबवाब	योग	रकम जमा करने वाले का नाम	जमा करने की तारीख	चालान क्रमांक	भू-राजस्व	उपकर	योग	भू-राजस्व	उपकर	योग	जारी की गई बलात आदेशिका के ब्यौरे
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
		1146/2	0.1820																			नामांतरण क्रमांक 4402147/301221/320543 आदेश क्रमांक CG 6304430112021009 / 29 Dec 2021
		1147/1	0.2270																			नामांतरण क्रमांक 4402147/301221/319678 आदेश क्रमांक CG 6304430112021015 / 29 Dec 2021



फॉर्म बी-1 किश्तबंदी खतौनी (आसामीवार)

वर्ष: 2021-2022

भूमि का ब्योरा हेक्टर मे एवं करो का ब्योरा रुपये पैसो मे

Document Id -20220801440200065

ग्राम : आरंग

हल्का : 00054

रा नि : आरंग

तहसील : आरंग

जिला : रायपुर

	खाते के ब्यौरे				चालू और बकाया माँग				वसूलियाँ				खजाने मे जमा करने के ब्यौरे			वर्ष की समाप्ति पर बाकी			वर्ष की समाप्ति पर बाकी वसूलियाँ			
खाता क्रमांक	भू-स्वामी या शासकीय पट्टेदार का नाम	खातो मे शामिल प्रत्येक भू-मापन क्र. का क्र.	प्रत्येक भू-मापन क्र.का क्षेत्रफल और खाते का कुल क्षेत्रफल	किश्तों के ब्यौरे	भू-राजस्व	उपकर	योग	भुगतान करने वाले व्यक्ति का नाम	भूगतान की तारीख	भू-राजस्व	उपकर अबवाब	योग	रकम जमा करने वाले का नाम	जमा करने की तारीख	चालान क्रमांक	भू-राजस्व	उपकर	योग	भू-राजस्व	उपकर	योग	जारी की गई बलात आदेशिका के ब्यौरे
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
		1147/2	0.4610																			नामांतरण क्रमांक 4402147/301221/320682 आदेश क्रमांक CG 6304430112021005 / 29 Dec 2021 नामांतरण क्रमांक 4402147/301221/319463 आदेश क्रमांक CG 6304430112021014 / 29 Dec 2021
		1148	0.3070																			



फॉर्म बी-1 किश्तबंदी खतौनी (आसामीवार)

वर्ष: 2021-2022

भूमि का ब्योरा हेक्टर मे एवं करो का ब्योरा रुपये पैसो मे

Document Id -20220801440200065

ग्राम : आरंग

हल्का : 00054

रा नि : आरंग

तहसील : आरंग

जिला : रायपुर

	खाते के ब्यौरे				चालू और बकाया माँग				वसूलियाँ				खजाने मे जमा करने के ब्यौरे			वर्ष की समाप्ति पर बाकी			वर्ष की समाप्ति पर बाकी वसूलियाँ			
खाता क्रमांक	भू-स्वामी या शासकीय पट्टेदार का नाम	खातो मे शामिल प्रत्येक भू-मापन क्र. का क्र.	प्रत्येक भू-मापन क्र.का क्षेत्रफल और खाते का कुल क्षेत्रफल	किश्तों के ब्यौरे	भू-राजस्व	उपकर	योग	भुगतान करने वाले व्यक्ति का नाम	भुगतान की तारीख	भू-राजस्व	उपकर अबवाब	योग	रकम जमा करने वाले का नाम	जमा करने की तारीख	चालान क्रमांक	भू-राजस्व	उपकर	योग	भू-राजस्व	उपकर	योग	जारी की गई बलात आदेशिका के ब्यौरे
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
		1149	0.3040																			नामांतरण क्रमांक 4402147/301221/320548 आदेश क्रमांक CG 6304430112021009 / 29 Dec 2021
		1150	0.3020																			नामांतरण क्रमांक 4402147/301221/320552 आदेश क्रमांक CG 6304430112021009 / 29 Dec 2021



फॉर्म बी-1 किश्तबंदी खतौनी (आसामीवार)

वर्ष: 2021-2022

भूमि का ब्योरा हेक्टर मे एवं करो का ब्योरा रुपये पैसे मे

Document Id -20220801440200065

ग्राम : आरंग

हल्का : 00054

रा नि : आरंग

तहसील : आरंग

जिला : रायपुर

	खाते के ब्यौरे				चालू और बकाया माँग				वसूलियाँ				खजाने मे जमा करने के ब्यौरे			वर्ष की समाप्ति पर बाकी			वर्ष की समाप्ति पर बाकी वसूलियाँ			
खाता क्रमांक	भू-स्वामी या शासकीय पट्टेदार का नाम	खातो मे शामिल प्रत्येक भू-मापन क्र. का क्र.	प्रत्येक भू-मापन क्र.का क्षेत्रफल और खाते का कुल क्षेत्रफल	किश्तों के ब्यौरे	भू-राजस्व	उपकर	योग	भुगतान करने वाले व्यक्ति का नाम	भूगतान की तारीख	भू-राजस्व	उपकर अबवाब	योग	रकम जमा करने वाले का नाम	जमा करने की तारीख	चालान क्रमांक	भू-राजस्व	उपकर	योग	भू-राजस्व	उपकर	योग	जारी की गई बलात आदेशिका के ब्यौरे
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
		1151/1/क	0.5670																			नामांतरण क्रमांक 4402147/301221/320557 आदेश क्रमांक CG 6304430112021009 / 29 Dec 2021
		1151/1/ख	0.5670																			नामांतरण क्रमांक 4402147/301221/319689 आदेश क्रमांक CG 6304430112021015 / 29 Dec 2021



फॉर्म बी-1 किश्तबंदी खतौनी (आसामीवार)

वर्ष: 2021-2022

भूमि का ब्योरा हेक्टर मे एवं करो का ब्योरा रुपये पैसे मे

Document Id -20220801440200065

ग्राम : आरंग

हल्का : 00054

रा नि : आरंग

तहसील : आरंग

जिला : रायपुर

	खाते के ब्यौरे				चालू और बकाया माँग				वसूलियाँ				खजाने मे जमा करने के ब्यौरे			वर्ष की समाप्ति पर बाकी			वर्ष की समाप्ति पर बाकी वसूलियाँ			
खाता क्रमांक	भू-स्वामी या शासकीय पट्टेदार का नाम	खातो मे शामिल प्रत्येक भू-मापन क्र. का क्र.	प्रत्येक भू-मापन क्र.का क्षेत्रफल और खाते का कुल क्षेत्रफल	किश्तों के ब्यौरे	भू-राजस्व	उपकर	योग	भुगतान करने वाले व्यक्ति का नाम	भूगतान की तारीख	भू-राजस्व	उपकर अबवाब	योग	रकम जमा करने वाले का नाम	जमा करने की तारीख	चालान क्रमांक	भू-राजस्व	उपकर	योग	भू-राजस्व	उपकर	योग	जारी की गई बलात आदेशिका के ब्यौरे
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
		1151/2/ख	0.5430																			????? ????? ??
		1151/2/ग	3.2820																			नामांतरण क्रमांक 4402147/301221/320566 आदेश क्रमांक CG 6304430112021009 / 29 Dec 2021 नामांतरण क्रमांक 4402147/301221/319552 आदेश क्रमांक CG 6304430112021014 / 29 Dec 2021



फॉर्म बी-1 किश्तबंदी खतौनी (आसामीवार)

वर्ष: 2021-2022

भूमि का ब्योरा हेक्टर में एवं करो का ब्योरा रुपये पैसे में

Document Id -20220801440200065

ग्राम : आरंग

हल्का : 00054

रा नि : आरंग

तहसील : आरंग

जिला : रायपुर

	खाते के ब्यौरे				चालू और बकाया माँग				वसूलियाँ				खजाने में जमा करने के ब्यौरे			वर्ष की समाप्ति पर बाकी			वर्ष की समाप्ति पर बाकी वसूलियाँ			
खाता क्रमांक	भू-स्वामी या शासकीय पट्टेदार का नाम	खातो में शामिल प्रत्येक भू-मापन क्र. का क्र.	प्रत्येक भू-मापन क्र.का क्षेत्रफल और खाते का कुल क्षेत्रफल	किश्तों के ब्यौरे	भू-राजस्व	उपकर	योग	भुगतान करने वाले व्यक्ति का नाम	भुगतान की तारीख	भू-राजस्व	उपकर अबवाब	योग	रकम जमा करने वाले का नाम	जमा करने की तारीख	चालान क्रमांक	भू-राजस्व	उपकर	योग	भू-राजस्व	उपकर	योग	जारी की गई बलात आदेशिका के ब्यौरे
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
		1152/1	1.6760																			नामांतरण क्रमांक 4402147/301221/319598 आदेश क्रमांक CG 6304430112021014 / 29 Dec 2021
		1153/1	0.2370																			नामांतरण क्रमांक 4402147/301221/320579 आदेश क्रमांक CG 6304430112021009 / 29 Dec 2021



फॉर्म बी-1 किश्तबंदी खतौनी (आसामीवार)

वर्ष: 2021-2022

भूमि का ब्योरा हेक्टर मे एवं करो का ब्योरा रुपये पैसो मे

Document Id -20220801440200065

ग्राम : आरंग

हल्का : 00054

रा नि : आरंग

तहसील : आरंग

जिला : रायपुर

	खाते के ब्यौरे				चालू और बकाया माँग				वसूलियाँ				खजाने मे जमा करने के ब्यौरे			वर्ष की समाप्ति पर बाकी			वर्ष की समाप्ति पर बाकी वसूलियाँ			
खाता क्रमांक	भू-स्वामी या शासकीय पट्टेदार का नाम	खातो मे शामिल प्रत्येक भू-मापन क्र. का क्र.	प्रत्येक भू-मापन क्र.का क्षेत्रफल और खाते का कुल क्षेत्रफल	किश्तों के ब्यौरे	भू-राजस्व	उपकर	योग	भुगतान करने वाले व्यक्ति का नाम	भुगतान की तारीख	भू-राजस्व	उपकर अबवाब	योग	रकम जमा करने वाले का नाम	जमा करने की तारीख	चालान क्रमांक	भू-राजस्व	उपकर	योग	भू-राजस्व	उपकर	योग	जारी की गई बलात आदेशिका के ब्यौरे
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
		1153/3	0.2360																			नामांतरण क्रमांक 4402147/301221/320592 आदेश क्रमांक CG 6304430112021009 / 29 Dec 2021 ???.???.147 ?.???.20/9/2011*
		1154/5	0.1940																			नामांतरण क्रमांक 4402147/301221/319484 आदेश क्रमांक CG 6304430112021014 / 29 Dec 2021



फॉर्म बी-1 किश्तबंदी खतौनी (आसामीवार)

वर्ष: 2021-2022

भूमि का ब्योरा हेक्टर मे एवं करो का ब्योरा रुपये पैसो मे

Document Id -20220801440200065

ग्राम : आरंग

हल्का : 00054

रा नि : आरंग

तहसील : आरंग

जिला : रायपुर

	खाते के ब्यौरे				चालू और बकाया माँग				वसूलियाँ				खजाने मे जमा करने के ब्यौरे			वर्ष की समाप्ति पर बाकी			वर्ष की समाप्ति पर बाकी वसूलियाँ			
खाता क्रमांक	भू-स्वामी या शासकीय पट्टेदार का नाम	खातो मे शामिल प्रत्येक भू-मापन क्र. का क्र.	प्रत्येक भू-मापन क्र.का क्षेत्रफल और खाते का कुल क्षेत्रफल	किश्तों के ब्यौरे	भू-राजस्व	उपकर	योग	भुगतान करने वाले व्यक्ति का नाम	भुगतान की तारीख	भू-राजस्व	उपकर अबवाब	योग	रकम जमा करने वाले का नाम	जमा करने की तारीख	चालान क्रमांक	भू-राजस्व	उपकर	योग	भू-राजस्व	उपकर	योग	जारी की गई बलात आदेशिका के ब्यौरे
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
		1155	0.5560																			नामांतरण क्रमांक 4402147/301221/319549 आदेश क्रमांक CG 6304430112021014 / 29 Dec 2021 नामांतरण क्रमांक 4402147/301221/320686 आदेश क्रमांक CG 6304430112021005 / 29 Dec 2021
		1156/1	0.1290																			



फॉर्म बी-1 किश्तबंदी खतौनी (आसामीवार)

वर्ष: 2021-2022

भूमि का ब्योरा हेक्टर मे एवं करो का ब्योरा रुपये पैसो मे

Document Id -20220801440200065

ग्राम : आरंग

हल्का : 00054

रा नि : आरंग

तहसील : आरंग

जिला : रायपुर

	खाते के ब्यौरे				चालू और बकाया माँग				वसूलियाँ				खजाने मे जमा करने के ब्यौरे			वर्ष की समाप्ति पर बाकी			वर्ष की समाप्ति पर बाकी वसूलियाँ			
खाता क्रमांक	भू-स्वामी या शासकीय पट्टेदार का नाम	खातो मे शामिल प्रत्येक भू-मापन क्र. का क्र.	प्रत्येक भू-मापन क्र.का क्षेत्रफल और खाते का कुल क्षेत्रफल	किश्तों के ब्यौरे	भू-राजस्व	उपकर	योग	भुगतान करने वाले व्यक्ति का नाम	भुगतान की तारीख	भू-राजस्व	उपकर अबवाब	योग	रकम जमा करने वाले का नाम	जमा करने की तारीख	चालान क्रमांक	भू-राजस्व	उपकर	योग	भू-राजस्व	उपकर	योग	जारी की गई बलात आदेशिका के ब्यौरे
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
		1156/2	0.1370																			नामांतरण क्रमांक 4402147/301221/320693 आदेश क्रमांक CG 6304430112021010 / 29 Dec 2021 नामांतरण क्रमांक 4402147/301221/320696 आदेश क्रमांक CG 6304430112021010 / 29 Dec 2021
		1158	0.3970																			



फॉर्म बी-1 किश्तबंदी खतौनी (आसामीवार)

वर्ष: 2021-2022

भूमि का ब्योरा हेक्टर में एवं करो का ब्योरा रुपये पैसे में

Document Id -20220801440200065

ग्राम : आरंग

हल्का : 00054

रा नि : आरंग

तहसील : आरंग

जिला : रायपुर

	खाते के ब्यौरे				चालू और बकाया माँग				वसूलियाँ				खजाने में जमा करने के ब्यौरे			वर्ष की समाप्ति पर बाकी			वर्ष की समाप्ति पर बाकी वसूलियाँ			
खाता क्रमांक	भू-स्वामी या शासकीय पट्टेदार का नाम	खातो में शामिल प्रत्येक भू-मापन क्र. का क्र.	प्रत्येक भू-मापन क्र.का क्षेत्रफल और खाते का कुल क्षेत्रफल	किश्तों के ब्यौरे	भू-राजस्व	उपकर	योग	भुगतान करने वाले व्यक्ति का नाम	भुगतान की तारीख	भू-राजस्व	उपकर अबवाब	योग	रकम जमा करने वाले का नाम	जमा करने की तारीख	चालान क्रमांक	भू-राजस्व	उपकर	योग	भू-राजस्व	उपकर	योग	जारी की गई बलात आदेशिका के ब्यौरे
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
		1160/1	0.0970																			नामांतरण क्रमांक 4402147/301221/320699 आदेश क्रमांक CG 6304430112021009 / 29 Dec 2021
		1160/2	0.0930																			नामांतरण क्रमांक 4402147/301221/320702 आदेश क्रमांक CG 6304430112021009 / 29 Dec 2021



फॉर्म बी-1 किश्तबंदी खतौनी (आसामीवार)

वर्ष: 2021-2022

भूमि का ब्योरा हेक्टर मे एवं करो का ब्योरा रुपये पैसे मे

Document Id -20220801440200065

ग्राम : आरंग

हल्का : 00054

रा नि : आरंग

तहसील : आरंग

जिला : रायपुर

	खाते के ब्यौरे				चालू और बकाया माँग				वसूलियाँ				खजाने मे जमा करने के ब्यौरे			वर्ष की समाप्ति पर बाकी			वर्ष की समाप्ति पर बाकी वसूलियाँ			
खाता क्रमांक	भू-स्वामी या शासकीय पट्टेदार का नाम	खातो मे शामिल प्रत्येक भू-मापन क्र. का क्र.	प्रत्येक भू-मापन क्र.का क्षेत्रफल और खाते का कुल क्षेत्रफल	किश्तों के ब्यौरे	भू-राजस्व	उपकर	योग	भुगतान करने वाले व्यक्ति का नाम	भुगतान की तारीख	भू-राजस्व	उपकर अबवाब	योग	रकम जमा करने वाले का नाम	जमा करने की तारीख	चालान क्रमांक	भू-राजस्व	उपकर	योग	भू-राजस्व	उपकर	योग	जारी की गई बलात आदेशिका के ब्यौरे
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
		1161/1	0.1620																			नामांतरण क्रमांक 4402147/301221/320707 आदेश क्रमांक CG 6304430112021005 / 29 Dec 2021
		1161/2	0.1660																			नामांतरण क्रमांक 4402147/301221/320709 आदेश क्रमांक CG 6304430112021005 / 29 Dec 2021



फॉर्म बी-1 किश्तबंदी खतौनी (आसामीवार)

वर्ष: 2021-2022

भूमि का ब्योरा हेक्टर मे एवं करो का ब्योरा रुपये पैसो मे

Document Id -20220801440200065

ग्राम : आरंग

हल्का : 00054

रा नि : आरंग

तहसील : आरंग

जिला : रायपुर

	खाते के ब्यौरे				चालू और बकाया माँग				वसूलियाँ				खजाने मे जमा करने के ब्यौरे			वर्ष की समाप्ति पर बाकी			वर्ष की समाप्ति पर बाकी वसूलियाँ			
खाता क्रमांक	भू-स्वामी या शासकीय पट्टेदार का नाम	खातो मे शामिल प्रत्येक भू-मापन क्र. का क्र.	प्रत्येक भू-मापन क्र.का क्षेत्रफल और खाते का कुल क्षेत्रफल	किश्तों के ब्यौरे	भू-राजस्व	उपकर	योग	भुगतान करने वाले व्यक्ति का नाम	भूगतान की तारीख	भू-राजस्व	उपकर अबवाब	योग	रकम जमा करने वाले का नाम	जमा करने की तारीख	चालान क्रमांक	भू-राजस्व	उपकर	योग	भू-राजस्व	उपकर	योग	जारी की गई बलात आदेशिका के ब्यौरे
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
कुल		43	20.0470		760858.0300	0	0															



फॉर्म पी-II खसरा पांचसाला खण्ड-1 (भूमिस्वामी का विवरण)

कृषि वर्ष: 2021-2022

ग्राम : आरंग

हल्का : 00054

रा नि : आरंग

तहसील : आरंग

जिला : रायपुर

Document Id -
20220801440200066

भूमि का ब्यौरा हेक्टेयर में एवं करो का ब्यौरा रुपये पैसे में है ।

क्रमांक	क्षेत्रफल (और यदि भूमि खातो में सम्मिलित न हो तो उसका वर्णन)	कब्जेदार का विवरण				प्रयोजन जिसके, लिए भू-राजस्व निर्धारण किया गया है तथा नियत भूराजस्व	अधिकार जिसके अंतर्गत भूमि धारण की गई हो	किसी भूमि स्वामी या पट्टेदार या किसी मौरुषी कास्तकार के उपपट्टेदार का नाम, पिता का नाम, लगान या पट्टे की रकम और उप-पट्टे पर दिया गया भाग का क्षेत्रफल	कैफियत
		नाम	पिता या पति का नाम	जाति	निवास स्थान				
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
1105/2	0.5140 (55326.50 sq.ft)	श्री बजरंग केमिकल डिस्टीलरी एल एल पी द्वारा डायरेक्टर बजरंग गोयल	पिता नरेन्द्र गोयल		हरी कुंज , शंकर नगर , रायपुर	औद्योगिक ₹ 2.40	भूमिस्वामी - व्यपवर्तित		ऋण पुस्तिका:P-3348306 औद्योगिक प्रयोजन औद्योगिक
1105/4	0.5140	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	कृषि ₹ 3.96	भूमिस्वामी - कृषि भूमि		ऋण पुस्तिका:P-3348306
1105/5	0.8500	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	कृषि ₹ 0.50	भूमिस्वामी - कृषि भूमि		ऋण पुस्तिका:P-3348306
1105/6	0.5140	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	कृषि ₹ 0.80	भूमिस्वामी - कृषि भूमि		ऋण पुस्तिका:P-3348306
1105/7	0.1210 (13024.33 sq.ft)	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	औद्योगिक ₹ 760814.00	भूमिस्वामी - व्यपवर्तित		ऋण पुस्तिका:P-3348306 औद्योगिक



फॉर्म पी-II खसरा पांचसाला खण्ड-1 (भूमिस्वामी का विवरण)

कृषि वर्ष: 2021-2022

ग्राम : आरंग

हल्का : 00054

रा नि : आरंग

तहसील : आरंग

जिला : रायपुर

Document Id -
20220801440200066

भूमि का ब्यौरा हेक्टेयर में एवं करो का ब्यौरा रुपये पैसे में है ।

क्रमांक	क्षेत्रफल (और यदि भूमि खातो में सम्मिलित न हो तो उसका वर्णन)	कब्जेदार का विवरण				प्रयोजन जिसके, लिए भू-राजस्व निर्धारण किया गया है तथा नियत भूराजस्व	अधिकार जिसके अंतर्गत भूमि धारण की गई हो	किसी भूमि स्वामी या पट्टेदार या किसी मौरूषी कास्तकार के उपपट्टेदार का नाम, पिता का नाम, लगान या पट्टे की रकम और उप-पट्टे पर दिया गया भाग का क्षेत्रफल	कैफियत
		नाम	पिता या पति का नाम	जाति	निवास स्थान				
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
1105/9	0.5130	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	कृषि ₹ 0.50	भूमिस्वामी - कृषि भूमि		ऋण पुस्तिका:P-3348306
1105/10	0.8500 (91493.24 sq.ft)	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	औद्योगिक ₹ 0.50	भूमिस्वामी - व्यपवर्तित		ऋण पुस्तिका:P-3348306 औद्योगिक
1105/11	0.5140	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	कृषि ₹ 0.50	भूमिस्वामी - कृषि भूमि		ऋण पुस्तिका:P-3348306
1105/12	0.8500	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	कृषि ₹ 2.29	भूमिस्वामी - कृषि भूमि		ऋण पुस्तिका:P-3348306
1105/14	0.3930	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	कृषि ₹ 0.50	भूमिस्वामी - कृषि भूमि		ऋण पुस्तिका:P-3348306 ???? ?? ???.??? 65 ??.?. 19/5/2010





फॉर्म पी-II खसरा पांचसाला खण्ड-1 (भूमिस्वामी का विवरण)

कृषि वर्ष: 2021-2022

ग्राम : आरंग

हल्का : 00054

रा नि : आरंग

तहसील : आरंग

जिला : रायपुर

Document Id -
20220801440200066

भूमि का ब्यौरा हेक्टेयर में एवं करो का ब्यौरा रुपये पैसे में है ।

क्रमांक	क्षेत्रफल (और यदि भूमि खातो में सम्मिलित न हो तो उसका वर्णन)	कब्जेदार का विवरण				प्रयोजन जिसके, लिए भू-राजस्व निर्धारण किया गया है तथा नियत भूराजस्व	अधिकार जिसके अंतर्गत भूमि धारण की गई हो	किसी भूमि स्वामी या पट्टेदार या किसी मौरूषी कास्तकार के उपपट्टेदार का नाम, पिता का नाम, लगान या पट्टे की रकम और उप-पट्टे पर दिया गया भाग का क्षेत्रफल	कैफियत
		नाम	पिता या पति का नाम	जाति	निवास स्थान				
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
1109	0.2750	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	कृषि ₹ 0.50	भूमिस्वामी - कृषि भूमि		ऋण पुस्तिका:P-3348306
1136	0.2910	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	कृषि ₹ 11.00	भूमिस्वामी - कृषि भूमि		ऋण पुस्तिका:P-3348306
1137/1	0.2060	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	कृषि ₹ 0.50	भूमिस्वामी - कृषि भूमि		ऋण पुस्तिका:P-3348306
1137/2	0.2100	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	कृषि ₹ 0.50	भूमिस्वामी - कृषि भूमि		ऋण पुस्तिका:P-3348306
1138	0.2510	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	कृषि ₹ 0.50	भूमिस्वामी - कृषि भूमि		ऋण पुस्तिका:P-3348306





फॉर्म पी-II खसरा पांचसाला खण्ड-1 (भूमिस्वामी का विवरण)

कृषि वर्ष: 2021-2022

ग्राम : आरंग

हल्का : 00054

रा नि : आरंग

तहसील : आरंग

जिला : रायपुर

Document Id -
20220801440200066

भूमि का ब्यौरा हेक्टेयर में एवं करो का ब्यौरा रुपये पैसे में है ।

क्रमांक	क्षेत्रफल (और यदि भूमि खातो में सम्मिलित न हो तो उसका वर्णन)	कब्जेदार का विवरण				प्रयोजन जिसके, लिए भू-राजस्व निर्धारण किया गया है तथा नियत भूराजस्व	अधिकार जिसके अंतर्गत भूमि धारण की गई हो	किसी भूमि स्वामी या पट्टेदार या किसी मौरूषी कास्तकार के उपपट्टेदार का नाम, पिता का नाम, लगान या पट्टे की रकम और उप-पट्टे पर दिया गया भाग का क्षेत्रफल	कैफियत
		नाम	पिता या पति का नाम	जाति	निवास स्थान				
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
1139	0.3440	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	कृषि ₹ 0.29	भूमिस्वामी - कृषि भूमि		ऋण पुस्तिका:P-3348306
1142/1	0.0240	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	कृषि ₹ 0.50	भूमिस्वामी - कृषि भूमि		ऋण पुस्तिका:P-3348306
1143	0.4940	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	कृषि ₹ 0.50	भूमिस्वामी - कृषि भूमि		ऋण पुस्तिका:P-3348306
1144	0.4450	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	कृषि ₹ 0.90	भूमिस्वामी - कृषि भूमि		ऋण पुस्तिका:P-3348306 ???? ?? ???.??? 66 ?.???.19/5/2010
1145	0.5210	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	कृषि ₹ 0.50	भूमिस्वामी - कृषि भूमि		ऋण पुस्तिका:P-3348306





फॉर्म पी-II खसरा पांचसाला खण्ड-1 (भूमिस्वामी का विवरण)

कृषि वर्ष: 2021-2022

ग्राम : आरंग

हल्का : 00054

रा नि : आरंग

तहसील : आरंग

जिला : रायपुर

Document Id -
20220801440200066

भूमि का ब्यौरा हेक्टेयर में एवं करो का ब्यौरा रुपये पैसे में है ।

क्रमांक	क्षेत्रफल (और यदि भूमि खातो में सम्मिलित न हो तो उसका वर्णन)	कब्जेदार का विवरण				प्रयोजन जिसके, लिए भू-राजस्व निर्धारण किया गया है तथा नियत भूराजस्व	अधिकार जिसके अंतर्गत भूमि धारण की गई हो	किसी भूमि स्वामी या पट्टेदार या किसी मौरूषी कास्तकार के उपपट्टेदार का नाम, पिता का नाम, लगान या पट्टे की रकम और उप-पट्टे पर दिया गया भाग का क्षेत्रफल	कैफियत
		नाम	पिता या पति का नाम	जाति	निवास स्थान				
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
1146/1	0.5310	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	कृषि ₹ 0.50	भूमिस्वामी - कृषि भूमि		ऋण पुस्तिका:P-3348306
1146/2	0.1820	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	कृषि ₹ 0.50	भूमिस्वामी - कृषि भूमि		ऋण पुस्तिका:P-3348306
1147/1	0.2270	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	कृषि ₹ 0.50	भूमिस्वामी - कृषि भूमि		ऋण पुस्तिका:P-3348306
1147/2	0.4610	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	कृषि ₹ 0.50	भूमिस्वामी - कृषि भूमि		ऋण पुस्तिका:P-3348306
1148	0.3070	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	कृषि ₹ 0.50	भूमिस्वामी - कृषि भूमि		ऋण पुस्तिका:P-3348306





फॉर्म पी-II खसरा पांचसाला खण्ड-1 (भूमिस्वामी का विवरण)

कृषि वर्ष: 2021-2022

ग्राम : आरंग

हल्का : 00054

रा नि : आरंग

तहसील : आरंग

जिला : रायपुर

Document Id -
20220801440200066

भूमि का ब्यौरा हेक्टेयर में एवं करो का ब्यौरा रुपये पैसे में है ।

क्रमांक	क्षेत्रफल (और यदि भूमि खातो में सम्मिलित न हो तो उसका वर्णन)	कब्जेदार का विवरण				प्रयोजन जिसके, लिए भू-राजस्व निर्धारण किया गया है तथा नियत भूराजस्व	अधिकार जिसके अंतर्गत भूमि धारण की गई हो	किसी भूमि स्वामी या पट्टेदार या किसी मौरूषी कास्तकार के उपपट्टेदार का नाम, पिता का नाम, लगान या पट्टे की रकम और उप-पट्टे पर दिया गया भाग का क्षेत्रफल	कैफियत
		नाम	पिता या पति का नाम	जाति	निवास स्थान				
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
1149	0.3040	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	कृषि ₹ 0.50	भूमिस्वामी - कृषि भूमि		ऋण पुस्तिका:P-3348306
1150	0.3020	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	कृषि ₹ 0.50	भूमिस्वामी - कृषि भूमि		ऋण पुस्तिका:P-3348306
1151/1/क	0.5670	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	कृषि ₹ 0.50	भूमिस्वामी - कृषि भूमि		ऋण पुस्तिका:P-3348306
1151/1/ख	0.5670	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	कृषि ₹ 0.50	भूमिस्वामी - कृषि भूमि		ऋण पुस्तिका:P-3348306
1151/2/ख	0.5430	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	कृषि ₹ 0.50	भूमिस्वामी - कृषि भूमि		ऋण पुस्तिका:P-3348306 ????? ???? ??



फॉर्म पी-II खसरा पांचसाला खण्ड-1 (भूमिस्वामी का विवरण)

कृषि वर्ष: 2021-2022

ग्राम : आरंग

हल्का : 00054

रा नि : आरंग

तहसील : आरंग

जिला : रायपुर

Document Id -
20220801440200066

भूमि का ब्यौरा हेक्टेयर में एवं करो का ब्यौरा रुपये पैसे में है ।

क्रमांक	क्षेत्रफल (और यदि भूमि खातो में सम्मिलित न हो तो उसका वर्णन)	कब्जेदार का विवरण				प्रयोजन जिसके, लिए भू-राजस्व निर्धारण किया गया है तथा नियत भूराजस्व	अधिकार जिसके अंतर्गत भूमि धारण की गई हो	किसी भूमि स्वामी या पट्टेदार या किसी मौरुषी कास्तकार के उपपट्टेदार का नाम, पिता का नाम, लगान या पट्टे की रकम और उप-पट्टे पर दिया गया भाग का क्षेत्रफल	कैफियत
		नाम	पिता या पति का नाम	जाति	निवास स्थान				
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
1151/2/ग	3.2820	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	कृषि ₹ 3.64	भूमिस्वामी - कृषि भूमि		ऋण पुस्तिका:P-3348306
1152/1	1.6760	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	कृषि ₹ 2.25	भूमिस्वामी - कृषि भूमि		ऋण पुस्तिका:P-3348306
1153/1	0.2370	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	कृषि ₹ 0.50	भूमिस्वामी - कृषि भूमि		ऋण पुस्तिका:P-3348306
1153/3	0.2360	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	कृषि ₹ 0.50	भूमिस्वामी - कृषि भूमि		ऋण पुस्तिका:P-3348306
1154/5	0.1940	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	कृषि ₹ 0.50	भूमिस्वामी - कृषि भूमि		ऋण पुस्तिका:P-3348306 ??.???.147 ?.???.20/9/2011*



फॉर्म पी-II खसरा पांचसाला खण्ड-1 (भूमिस्वामी का विवरण)

कृषि वर्ष: 2021-2022

ग्राम : आरंग

हल्का : 00054

रा नि : आरंग

तहसील : आरंग

जिला : रायपुर

Document Id -
20220801440200066

भूमि का ब्यौरा हेक्टेयर में एवं करो का ब्यौरा रुपये पैसे में है ।

क्रमांक	क्षेत्रफल (और यदि भूमि खातो में सम्मिलित न हो तो उसका वर्णन)	कब्जेदार का विवरण				प्रयोजन जिसके, लिए भू-राजस्व निर्धारण किया गया है तथा नियत भूराजस्व	अधिकार जिसके अंतर्गत भूमि धारण की गई हो	किसी भूमि स्वामी या पट्टेदार या किसी मौरूषी कास्तकार के उपपट्टेदार का नाम, पिता का नाम, लगान या पट्टे की रकम और उप-पट्टे पर दिया गया भाग का क्षेत्रफल	कैफियत
		नाम	पिता या पति का नाम	जाति	निवास स्थान				
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
1155	0.5560	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	कृषि ₹ 0.50	भूमिस्वामी - कृषि भूमि		ऋण पुस्तिका:P-3348306
1156/1	0.1290	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	कृषि ₹ 0.50	भूमिस्वामी - कृषि भूमि		ऋण पुस्तिका:P-3348306
1156/2	0.1370	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	कृषि ₹ 0.50	भूमिस्वामी - कृषि भूमि		ऋण पुस्तिका:P-3348306
1158	0.3970	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	कृषि ₹ 0.50	भूमिस्वामी - कृषि भूमि		ऋण पुस्तिका:P-3348306
1160/1	0.0970	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	कृषि ₹ 0.50	भूमिस्वामी - कृषि भूमि		ऋण पुस्तिका:P-3348306





फॉर्म पी-II खसरा पांचसाला खण्ड-1 (भूमिस्वामी का विवरण)

कृषि वर्ष: 2021-2022

ग्राम : आरंग हल्का : 00054 रा नि : आरंग तहसील : आरंग जिला : रायपुर Document Id - 20220801440200066

भूमि का ब्यौरा हेक्टेयर में एवं करो का ब्यौरा रुपये पैसे में है ।

क्रमांक	क्षेत्रफल (और यदि भूमि खातो में सम्मिलित न हो तो उसका वर्णन)	कब्जेदार का विवरण				प्रयोजन जिसके लिए भू-राजस्व निर्धारण किया गया है तथा नियत भूराजस्व	अधिकार जिसके अंतर्गत भूमि धारण की गई हो	किसी भूमि स्वामी या पट्टेदार या किसी मौरुषी कास्तकार के उपपट्टेदार का नाम, पिता का नाम, लगान या पट्टे की रकम और उप-पट्टे पर दिया गया भाग का क्षेत्रफल	कैफियत
		नाम	पिता या पति का नाम	जाति	निवास स्थान				
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
1160/2	0.0930	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	कृषि ₹ 0.50	भूमिस्वामी - कृषि भूमि		ऋण पुस्तिका:P-3348306
1161/1	0.1620	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	कृषि ₹ 0.50	भूमिस्वामी - कृषि भूमि		ऋण पुस्तिका:P-3348306
1161/2	0.1660	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	खसरा नंबर - 1105/2 के अनुसार	कृषि ₹ 0.50	भूमिस्वामी - कृषि भूमि		ऋण पुस्तिका:P-3348306

कार्यालय अनुविभागीय अधिकारी (रा0) आरंग, जिला-रायपुर

// सूचना पत्र प्रारूप "अ" //

अ.वि.अ. का मामला क्र 202201112400033/अ-2/ वर्ष 2021-22

आदेश दिनांक 15.07.2022

आवेदक श्री बजरंग केमिकल डिस्टिलरी एल.एल.पी. प्रबंध निदेशक बजरंग गोयल पिता नरेन्द्र गोयल द्वारा ग्राम आरंग प0ह0न 54 तहसील आरंग जिला-रायपुर छ0ग0।

आपको सूचित किया जाता है कि निम्नालिखित भूमि अकृषि कार्य में परिवर्तन होने के कारण उस पर निम्न अनुसूचित के खण्ड 5 में लिये अनुसार संशोधित राजस्व निर्धारण हो चुका है। जिसकी यथा विधि पुष्टिकरण हो गई है।

खसरा नंबर 1105/7, 1105/10, 1105/11, 1138, 1143, 1146/2, 1149, 1150, 1151/1क, 1151/2ख, 1153/1, 1153/3, 1105/4, 1105/5, 1105/9, 1105/14, 1139, 1142/1, 1105/6, 1152/1, 1105/2, 1109, 1147/1, 1151/1ख, 1151/2ग, 1105/12, 1148, 1154/5, 1155, 1144, 1147/2, 1146/1, 1145, 1156/1, 1156/2, 1158, 1160/1, 1160/2, 1161/1, 1161/2, 1137/1, 1137/2, 1136 रकबा क्रमशः 0.121, 0.850, 0.514, 0.251, 0.494, 0.182, 0.304, 0.302, 0.567, 0.543, 0.237, 0.236, 0.514, 0.850, 0.513, 0.393, 0.344, 0.024, 0.514, 1.676, 0.514, 0.275, 0.227, 0.567, 3.282, 0.850, 0.307, 0.194, 0.556, 0.445, 0.461, 0.531, 0.521, 0.129, 0.137, 0.397, 0.097, 0.093, 0.162, 0.166, 0.206, 0.210, 0.291, कुल रकबा 20.047 हे यांने 200470 वर्गमीटर ग्राम - आरंग का औद्योगिक प्रयोजन हेतु रकबा वर्गफुट/वर्गमीटर में (अंको में) 200470 वर्गमीटर लगान- 760814.00 रुपये का 11.25 प्रतिशत अधोसंरचना विकास कर 85592.00 रु. एवं 11.25 प्रतिशत उपकर 85592.00 रु. पंचायत कर लगान का 50 प्रतिशत 00.00 रु।

टीप :- उक्त रकम आपको दिनांक 01.10.2021 से प्रारंभ होने वाले राजस्व वर्ष में एक ही विषय में प्रतिवर्ष तहसीलदार आरंग को भुगतान करना होगा।

परिवर्तित भूमि का निर्धारित लगान रु. 760814.00 रु. प्रतिवर्ष की दर से वर्ष 2021 से 2022 तक निम्नानुसार :-

क्रमांक	चालान का मद	चालान की राशि
1.	लगान	760814.00
2.	प्रीमियम	5113000.00
3.	अधोसंरचना विकास कर	85592.00
4.	पर्यावरण उपकर	85592.00
5.	पंचायत उपकर	000.00
6.	अर्थदण्ड	000.00
सभी चालानों की कुल योग राशि अंको में-		6,044,998.00

अक्षरी में- साठ लाख चौवालिस हजार नौ सौ अठानबे रुपये राशि शासकीय कोषालय में जमा कर मूल चालान प्रति प्रस्तुत किया है डब्ल्यू.बी.एन. तहसील का सी2 पंजी में दर्ज करने का टीप अंकित है।

प्रकरण में 59(2) के तहत पुर्ननिर्धारण अनुज्ञा निम्नांकित आरोपित शर्तों के अधीन माना जावे :-

1. आवेदक किसी भी निर्माण के पूर्व नगर तथा ग्राम निवेश विभाग से विधिवत अनुमति प्राप्त करेंगे एवं विभाग की शर्तों व अनुज्ञा आवेदक के लिए बंधनकारी होगी।

2. व्यपवर्तन पश्चात आवेदक लोक स्वास्थ्य, सुविधा तथा सुरक्षा को बनाये रखेगा। आस-पास की शासकीय भूमि में अतिक्रमण नहीं किया जावेगा।
3. शासन के पुर्ननिर्धारण/व्यपवर्तन संबंधी समस्त विधिक प्रावधानों का पालन करना आवेदक हेतु अनिवार्य होगा। शर्तों के अपालन की स्थिति में यह आदेश स्वमेव निरस्त माना जायेगा।
4. व्यपवर्तित भूमि नगरीय क्षेत्र में होने से संबंधित नगरीय निकाय से एवं ग्रामीण क्षेत्र में संबंधित ग्राम पंचायत से भवन अनुज्ञा प्राप्त कर अधिरोपित शर्तों के अध्याधीन व्यपवर्तित प्रयोजन हेतु उपयोग की अनुमति होगी।
5. व्यपवर्तन भूमि पर औद्योगिक ईकाई की स्थापना हेतु उद्योग विभाग से पृथक से अनुमति प्राप्त किया जाना अनिवार्य होगा।
6. आवेदित भूमि का व्यपवर्तित मद अनुसार उपयोग में प्रवेश हेतु राष्ट्रीय राज मार्ग तथा राजकीय राजमार्ग से सीधे रास्ते की अनुमति नहीं होगी।
7. व्यपवर्तित भूमि पर प्रवेश हेतु रास्ता मद के अतिरिक्त अन्य मद की शासकीय भूमि उपयोग की स्थिति में पृथक से अनुमति आवश्यक होगी अन्यथा व्यपवर्तन निरस्त माना जायेगा।
8. आवेदित भूमि को एक चक में बंटाकित खसरा मानते हुये व्यपवर्तन स्वीकार किया जा रहा है। व्यपवर्तित भूमि को पुनः उप विभाजन किये जाने की स्थिति में व्यपवर्तन स्वमेव निरस्त माना जावेगा।
9. व्यपवर्तन उपरांत निर्धारित भूराजस्व, एवं उपकर नियमित जमा नहीं किये जाने की स्थिति में किसी समय सूचना उपरांत व्यपवर्तन निरस्त किया जा सकेंगा।

पृ.कं...../वाचक/अविअ/2022

प्रतिलिपि : 1 तहसीलदार आरंग को सूचनार्थ।

2. आवेदक को सूचनार्थ प्रतिवर्ष देय रकम निर्धारित समय में जमा करना सुनिश्चित करें।



अनुविभागीय अधिकारी(रा)
आरंग जिला-रायपुर छोगा
आरंग दिनांक 2 / 6 / 2022

अनुविभागीय अधिकारी(रा)
आरंग जिला-रायपुर छोगा

50 MW DC / 38.50 MW AC Solar Power Plant at Village – Kaudiya & Bhaisamuda, Tehsil – Nawagarh, Bemetara District (C.G.)





Photographs of ETP (MEE+CPU+WTP) and STP

ETP (MEE+CPU+WTP)



STP



RAINWATER HARVESTING PHOTOGRAPHS



Pit No. 1



Pit No. 2

WATER RESERVOIR



FORM 21
(Prescribed under Rule(19)1
Health Register

(In respect person employed in occupations declared to be dangerous operation under section 87)

Name of Worker... Mr. Gopal Sany Age/Sex 19 Y / M
Name of Company:- Bajrang Employee Code
Nature of occupation Date - 11-02-2025

Annexure

PRE-EMPLOYMENT & PERIODIC MEDICAL EXAMINATION

(1) GENERAL EXAMINATION:

Height 172 cm, Weight 73 kg, BMI
Chest Inspiration 110 cm, Expiration 103 cm
Throat (N) Tongue (N) Tonsils (N) Teeth (N)
Gums (N) Thyroid (N)
Lymph nodes:
Additional finding: NP

(2) CARDIO-VASCULAR SYSTEM:

Pulse: 76 mt. Regular/Irregular Peripheral Pulse-felt/not felt
BP 120/80 min of Hg Heart Sound : ... NORMAL / ABNORMAL....
Murmur, if any - ... NO Additional finding (s), if any NO

(3) RESPIRATORY SYSTEM:

Shape of Chest: ... Tubular Chest movements: Symmetrical
Trachea Centrally Breath sound - Vesicular

(5) GASTRO-INTESTINAL SYSTEM:

Liver NP Spleen NP
Any abdominal lumps: NO / YES

(6) EXAMINATION OF EYES ::

External Exam - NORMAL / ABNORMAL Squint: YES / NO
Nystagmus : YES / NO Fundus L / R
Night Blindness YES / NO
Colour vision - Normal / Defective
Individual colour identification- Normal / Defective
Distance vision (without glasses) Right 6/6 Left 6/6
(with glasses) Right Left
Near-vision (without glasses) Right N/G Left N/G
(with glasses) Right Left

(6) EXAMINATION OF EAR, NOSE & THROAT:

External Examination: NAD

(7) GENITO URINARY SYSTEM:

Hernia - .. YES / NO Hydrocele - .. YES / NO Varicocele - YES / NO
Cryptorchidism- YES / NO Phimosis YES / NO Varicose veins- YES / NO
Signs of STD ... YES / NO

Other Examinations For Females :

Menarche yr. G. Para 1 Menstrual irregularity ... 1 .. if any

INVESTIGATIONS

(8) Lab Investigations:

Haemogram

Blood Group 0 Rh factor Pos. +ve Hb 15.3 gm%
 RBC 5.16 Platelets Count 325 TLC 5420
 DLC :- P 66 L 30 E 02 M 02 B 00

Renal profile

Blood Urea : 18.41 S. Creatinine : 0.68

Hepatic profile - SGOT 18.97 SGPT 19.76 Alkaline Phosphate 54.14 S. Bilirubin

Lipid profile :

Serum Cholesterol 154.42 Triglycerides 102.20 HDL 49.97 LDL 84.01

Metabolic

Blood Sugar 85.42 Blood Sugar PP S. Uric Acid 3.64

Urine: Albumin neg Sugar neg Microscopy neg
 Stool : neg

(10) Other Investigation

X-Ray Chest. PA

(In normal person once in three year), (in case of any abnormality x-ray can be done at shorter intervals)

ECG-

(In case of any abnormality further test should be carried out)

Ultra Sound-

Whole abdomen (in normal person once in three years in case of any abnormality can be done at shorter interval)

Other

(10) Pulmonary Function Test

	FCV	FEV 1	FEV 1/FVC
PREDICATED	02.69	02.35	87.36
MEASURED	02.74	02.74	100.00
% OF PREDICATED	102	117	114

Remark-

(11) Audiometry examination

P T A	Lt. Ear	18.3	Rt. Ear	20
Remark	B/L Normal			

PTA of both ears at frequency 150, 250, 500, 1000, 2000, 4000, 8000 Cycles/sec

(12) Medical examination of canteen staff

- Blood examination for venereal disease and routine blood examination
- Stool and urine examination for worm infection
- Screening for skin diseases (scabies and others)
- X-ray and other tests for T. B.

13. Details of Other specific medical examination carried out as mentioned in the respective schedules of 107 of C.G. Factory rules 1962-

Signature (with date) of
 Factory Medical Officer

Signature (with date)
 Certifying surgeon





APOLLO DIAGNOSTIC CENTRE

DEVENDRA NAGAR RAIPUR

LAB SAHU
URANG CHEMICAL
RECORDERS
11-Feb-2025 03:20 PM

Age : 19 Yrs
Height : 172 Cms
Weight : 73 Kgs
ID : 5488

Gender : Male
Smoker : No
Eth. Corr: 70
Temp :



FVC Results

Parameter	Pred	M.Pre	%Pred	M.Post	%Pred	%Imp
FVC	(L) 02.69	02.74	102	-----	---	---
FEV1	(L) 02.35	02.74	117	-----	---	---
FEV1/FVC	(%) 87.36	100.00	114	-----	---	---
FEF25-75	(L/s) 03.45	04.65	135	-----	---	---
PEFR	(L/s) 06.81	05.03	074	-----	---	---
FIVC	(L) -----	03.29	---	-----	---	---
FEV.5	(L) -----	02.28	---	-----	---	---
FEV3	(L) 02.61	02.74	105	-----	---	---
PIFR	(L/s) -----	04.93	---	-----	---	---
FEF75-85	(L/s) -----	03.28	---	-----	---	---
FEF.2-1.2	(L/s) 05.89	04.90	083	-----	---	---
FEF 25%	(L/s) 05.86	04.87	083	-----	---	---
FEF 50%	(L/s) 04.41	04.75	108	-----	---	---
FEF 75%	(L/s) 02.53	03.75	148	-----	---	---
FEV.5/FVC	(%) -----	83.21	---	-----	---	---
FEV3/FVC	(%) 97.03	100.00	103	-----	---	---
FET	(Sec) -----	00.69	---	-----	---	---
ExptTime	(Sec) -----	00.07	---	-----	---	---
Lung Age	(Yrs) 019	016	084	-----	---	---
FEV6	(L) 02.69	-----	---	-----	---	---
FIF25%	(L/s) -----	04.39	---	-----	---	---
FIF50%	(L/s) -----	04.83	---	-----	---	---
FIF75%	(L/s) -----	03.21	---	-----	---	---

Pre Test COPD Severity

Test within normal limits

Dr. Paras Jain
MBBS, DMR
Regd. No.-3850
Apollo Diagnostic Centre

Pre Medication Report Indicates

Spirometry within normal limits as (FEV1/FVC)%Pred >95 and FVC%Pred >80

PATIENT NAME : Mr. GULAB SAHU

DATE : 11/02/2025

AGE / SEX : 19 Y / Male

UHID NO. : 2025112225610

REF DR. : BAJRANG

पोलो डायग्नोस्टिक सेंटर, अपोलो टॉवर, एक्सप्रेस हाईवे फ्लाई ओवर के पास देवेन्द्र नगर, रायपुर (छ.ग.) 4020988, 4017888

उपलब्ध सुविधाएँ

- 3.0 T एम.आर.आई. (साईलेंट)
- 96 स्लाइस होल बॉडी
- स्पाइरल सी.टी.स्कैन
- लिथोट्रिप्सी ESWL
(लेजर द्वारा पथरी का इलाज)
- मास्टर हेल्थ चेकअप
- होल बॉडी कलर
- सोनोग्राफी (5D)
- लीवर, ब्रेस्ट एवं थायराईड
- इलास्टोग्राफी
- वेस्कूलर डापलर
- डिजीटल एक्स-रे
- डिजीटल पोर्टेबल एक्स-रे
- डिजीटल OPG एक्स-रे
- डिजीटल मेमोग्राफी
- कलर डापलर इकोकार्डियोग्राफी
- कम्प्यूटराईज्ड TMT, ई.सी.जी.
- पैथालॉजी
- FNAC सायटोलॉजी
- कम्प्यूटराईज्ड ई.ई.जी.
- EMG, NCV,
- स्पाइरोमीटर (PFT)
- AMNIOCENTESIS
- C.V.S.
(Chorionic Villus Sampling)

BIO CHEMISTRY

PARAMETERS	RESULT	UNIT	REFERENCE VALUES
Urea	18.41	mg/dl	15 - 45
Creatinine	0.68	mg/dl	0.6 - 1.4
Uric Acid	3.64	mg/dl	3.6-7.0
SGOT (AST)	18.97	U/L	0-45
SGPT (ALT)	19.76	U/L	0-45
Alkaline phosphatase (ALP)	54.14	U/L	41-137
Total Cholesterol	154.42	mg/dl	Desirable <200 Borderline high 200-239 High >240
Triglycerides	102.20	mg/dl	Desirable <150 Borderline high 151-199 High 200-499 Very high >500
HDL Cholesterol	49.97	mg/dl	35-70
VLDL Cholesterol	20.44	mg/dl	7-35
LDL Cholesterol	84.01	mg/dl	Desirable <100 Above desirable 100-129 Borderline high 130-159 High 160-189 Very high >190
GLUCOSE RANDOM	85.42	mg/dl	80-140



For appointment :
91934 89000, 91934 86000

- Skin Treatment
- Laser Treatment
- Hair Growth Treatment

Note - Please Correlate Clinically

Page 1 of 3

3.0T एम.आर.आई. (साईलेंट)

पथरी का इलाज (लिथोट्रिप्सी)

एम्बुलेंस सेवा उपलब्ध

स्किन एंड लेजर ट्रीटमेंट

For-MRI, CT Scan Emergency- 9630898682, 9926892536

For appointment 0771 - 4017888, 4020988



POLLO
STONE
CLINIC

जर्मनी से आयातित अत्याधुनिक सर्वश्रेष्ठ सीमेंस लिथोट्रिप्सी मशीन एवं डार्नियर लिथोट्रिप्सी मशीन द्वारा किडनी(गुर्दे), यूरैटर(पेशाबनली), पेशाब थैली(ब्लैडर), पित्तनली एवं पैनक्रियाज ग्रंथी में पथरी का उपचार बगैर ऑपरेशन, बिना भर्ती, बेहोशी, चीरफाड़ के उपलब्ध पूरे उपचार का रियायती दरों का पैकेज भी उपलब्ध।

पोलो स्टोन क्लीनिक, अपोलो टॉवर, एक्सप्रेस हाईवे फ्लाई ओवर के पास देवेन्द्र नगर, रायपुर (छ.ग.)
फोन-4020988, 4017888

Pt. MR GULAB SAHU

SEX - M

Ref by : BAJRANG CHEMICAL

DATE- 11.02.2025

पोलो डायग्नोस्टिक सेंटर, अपोलो टॉवर, एक्सप्रेस हाईवे फ्लाई ओवर के पास देवेन्द्र नगर, रायपुर (छ.ग.) ☎ 4020988, 4017888

उपलब्ध सुविधाएँ

DONE BY MOST ADVANCED LIVE 4 - D - RS-80A (SAMSUNG)
WHOLE BODY COLOUR DOPPLER MACHINE

- 3.0 T एम.आर.आई. (साईलेंट)
- 96 स्लाइस होल बॉडी
स्पाइरल सी.टी.स्कैन
- लिथोट्रिप्सी ESWL
(लेजर द्वारा पथरी का इलाज)
- मास्टर हेल्थ चेकअप
- होल बॉडी कलर
सोनोग्राफी (5D)
- लीवर, ब्रेस्ट एवं थायराईड
इलास्टोग्राफी
- वेस्कुलर डापलर
- डिजीटल एक्स-रे
- डिजीटल पोर्टेबल एक्स-रे
- डिजीटल OPG एक्स-रे
- डिजीटल मेमोग्राफी
- कलर डापलर इकोकार्डियोग्राफी
- कम्प्यूटराईज्ड TMT, ई.सी.जी.
- पैथालॉजी
- FNAC सायटोलॉजी
- कम्प्यूटराईज्ड ई.ई.जी.
- EMG, NCV,
- स्पाइरोमीटर (PFT)
- AMNIOCENTESIS
- C.V.S.
(Chorionic Villus Sampling)

LIVER :- Appears normal in size and outline with normal homogenous echotexture. No focal parenchymal lesion seen.. Intrahepatic biliary radicles are not dilated, no calculi seen.

GALL BLADDER:- Appears normal in size, shape and gall bladder stone with polyps in lumen.

PV AND CBD:-Measurements are within normal limits. No calculi shadow seen in CBD.

PANCREAS :-Shows normal homogenous echotexture. No focal parenchymal lesion seen.

BOTH KIDNEY:-Both kidneys appears normal in size, shape & echotexture, No focal parenchymal lesion seen. No evidence of stone, hydronephrosis or any mass lesion seen.

SPLEEN :- Appears normal in size, shape & echotexture.

URINARY BLADDER :-Appears normal in size, shape and wall thickness, No intraluminal pathology seen.

PROSTATE - Is normal in size shape & echotexture.

* No evidence of lymphadenopathies or ascites seen.

IMPRESSION: NORMAL U. S. study.

Dr. Paras Jain
MBBS. DMR
(Consultant Radiologist &
Ultrasonologist)



For appointment :
91934 89000, 91934 86000

- Skin Treatment
- Laser Treatment
- Hair Growth Treatment

3.0T एम.आर.आई. (साईलेंट)

पथरी का इलाज (लिथोट्रिप्सी)

एम्बुलेंस सेवा उपलब्ध

स्किन एंड लेजर ट्रीटमेंट

For-MRI, CT Scan Emergency- 9630898682, 9926892536

For appointment 0771 - 4017888, 4020988



POLLO
STONE
CLINIC

जर्मनी से आयातित अत्याधुनिक सर्वश्रेष्ठ सीमेंस लिथोट्रिप्सी मशीन एवं डार्नियर लिथोट्रिप्सी मशीन द्वारा किडनी(गुर्दे), यूरेटर(पेशाबनली), पेशाब थैली(ब्लैडर), पित्तनली एवं पैनक्रियाज ग्रंथी में पथरी का उपचार बगैर ऑपरेशन, बिना भर्ती, बेहोशी, चीरफाड़ के उपलब्ध पूरे उपचार का रियायती दरों का पैकेज भी उपलब्ध।

पोलो स्टोन क्लीनिक, अपोलो टॉवर, एक्सप्रेस हाईवे फ्लाई ओवर के पास देवेन्द्र नगर, रायपुर (छ.ग.)
फोन-4020988, 4017888

Pt. MR GULAB SAHU

SEX - M

Ref by : BAJRANG CHEMICAL

DATE- 11.02.2025

पोलो डायग्नोस्टिक सेंटर, अपोलो टॉवर, एक्सप्रेस हाईवे फ्लाई ओवर के पास देवेन्द्र नगर, रायपुर (छ.ग.)

4020988, 4017888

उपलब्ध सुविधाएँ

- 3.0 T एम.आर.आई. (साईलेंट)
- 96 स्लाईस होल बॉडी
स्पाइरल सी.टी. स्कैन
- लिथोट्रिप्सी ESWL
(लेजर द्वारा पथरी का इलाज)
- मास्टर हेल्थ चेकअप
- होल बॉडी कलर
सोनोग्राफी (5D)
- लीवर, ब्रेस्ट एवं थायराईड
इलास्टोग्राफी
- वेस्कुलर डापलर
- डिजीटल एक्स-रे
- डिजीटल पोर्टेबल एक्स-रे
- डिजीटल OPG एक्स-रे
- डिजीटल मेमोग्राफी
- कलर डापलर इकोकार्डियोग्राफी
- कम्प्यूटराईज्ड TMT, ई.सी.जी.
- पैथालॉजी
- FNAC सायटोलॉजी
- कम्प्यूटराईज्ड ई.ई.जी.
- EMG, NCV,
- स्पाइरोमीटर (PFT)
- AMNIOCENTESIS
- C.V.S.
(Chorionic Villus Sampling)

X-RAY CHEST PA VIEW

- Both lung fields are clear no active parenchymal lesion seen.
- Both costophrenic angles are clear.
- Cardiothoracic ratio is within normal limits, Cardiac shadow shows no significant abnormality.
- Thoracic bone cage appears normal.
- Diaphragmatic outline are clearly delineated.

IMPRESSION:- Normal Findings.

Dr. Paras Jain
MBBS. DMR
(Consultant Radiologist &
Ultrasonologist)



For appointment :
91934 89000, 91934 86000
Skin Treatment
Laser Treatment
Hair Growth Treatment

3.0T एम.आर.आई. (साईलेंट)

पथरी का इलाज (लिथोट्रिप्सी)

एम्बुलेंस सेवा उपलब्ध

स्किन एंड लेजर ट्रीटमेंट

For-MRI, CT Scan Emergency- 9630898682, 9926892536

For appointment 0771 - 4017888, 4020988

जर्मनी से आयातित अत्याधुनिक सर्वश्रेष्ठ सीमेंस लिथोट्रिप्सी मशीन एवं डार्नियर लिथोट्रिप्सी मशीन द्वारा किडनी (गुर्दे), यूरैटर (पेशाबनली), पेशाब थैली (ब्लैडर), पित्तनली एवं पैनक्रियाज ग्रंथी में पथरी का उपचार बगैर ऑपरेशन, बिना भर्ती, बेहोशी, चीरफाड़ के उपलब्ध पूरे उपचार का रियायती दरों का पैकेज भी उपलब्ध।
पोलो स्टोन क्लीनिक, अपोलो टॉवर, एक्सप्रेस हाईवे फ्लाई ओवर के पास देवेन्द्र नगर, रायपुर (छ.ग.)
फोन-4020988, 4017888



POLLO
STONE
CLINIC



APOLLO

DIAGNOSTIC CENTRE

AUDIOMETER - APOLLO DIAGNOSTIC CENTRE

DATE:- 11-02-25
 NAME : MR GULAB SAHU
 AGE / SEX 19Y/M
 COMPANY : BAJRANG

AUDIOGRAM



MODE EAR	AIR CONDUCTION		BONE CONDUCTION		COLOUR CODE	THRESHHOLD IN dB		LEFT	RIGHT
	MASKED	UNMASKED	MASKED	UNMASKED		AIR CONDUCTION			
LEFT	☐	x	☒	>	BLUE	BONE CONDUCTION			
RIGHT	☐	o	☒	<	RED	SPEECH			
NO RESPONSE : ADD ↓ BELOW THE RESPECTIVE SYMBOLS									

REMARK : B/L . NORMAL HEARING SENSITIVITY

Surbhi
Dr. SURBHI CHOPRA
 (CHAFUR MOHTA)
 M.S. ENT, HEAD & Neck Surgery
 Reg. No.-G-54388

FORM 21
(Prescribed under Rule(19)1
Health Register

(In respect person employed in occupations declared to be dangerous operation under section 87)

Name of Worker Mr. Ram Gopal Yadav Age/Sex 30 y / m
Name of Company:- Bagleang Chemical Employee Code
Nature of occupation Date - 06/02/2024

Annexure
PRE-EMPLOYMENT & PERIODIC MEDICAL EXAMINATION

(1) GENERAL EXAMINATION:

Height 165 cm Weight 53 kg, BMI
Chest Inspiration 88 cm, Expiration 84 cm
Throat (N) Tongue (N) Tonsils (N) Teeth (N)
Gums (N) Thyroid (N)
Lymph nodes: NO
Additional finding: NO

(2) CARDIO-VASCULAR SYSTEM:

Pulse: 76 mt. Regular/Irregular Peripheral Pulse-felt/not felt
BP 120/80 min of Hg Heart Sound: NORMAL/ABNORMAL....
Murmur, if any - NO Additional finding (s), if any NO

(3) RESPIRATORY SYSTEM:

Shape of Chest: Tubular Chest movements: Symmetrical
Trachea Centrally Breath sound - Vesicular

(5) GASTRO-INTESTINAL SYSTEM:

Liver NP Spleen NP
Any abdominal lumps: NO/ YES

(6) EXAMINATION OF EYES .:

External Exam - NORMAL/ABNORMAL.... Squint: YES/NO
Nystagmus: YES/NO Fundus L / R
Night Blindness YES/NO
Colour vision - Normal / Defective
Individual colour identification- Normal / Defective
Distance vision (without glasses) Right 6/6 Left 6/6
(with glasses) Right Left
Near-vision (without glasses) Right 11/6 Left 11/6
(with glasses) Right Left

(6) EXAMINATION OF EAR, NOSE & THROAT:

External Examination: NAD

(7) GENITO URINARY SYSTEM:

Hernia - YES/NO Hydrocele - YES/NO Varicocele - YES/NO
Cryptorchidism- YES/NO Phimosis YES/NO Varicose veins- YES/NO
Signs of STD YES/NO

Other Examinations For Females :

Menarche yr. G. Para Menstrual irregularity if any

INVESTIGATIONS

(8) Lab Investigations:

Haemogram

Blood Group B Rh factor Positive Hb 14.3 gm%
 RBC 4.52 Platelets Count 251 TLC 6200
 DLC :- P 60 L 34 E 03 M 03 B 00

Renal profile

Blood Urea : 20.19 S. Creatinine : 0.74

Hepatic profile - SGOT 21.45 SGPT 25.40 Alkaline Phosphate 84.12 S. Bilirubin

Lipid profile :

Serum Cholesterol 142.30 Triglycerides 114.25 HDL 40.0 LDL 79.45

Metabolic

Blood Sugar R 165.0 Blood Sugar PP S. Uric Acid 4.06

Urine: Albumin NH Sugar NH Microscopy NH
 Stool : NH

(10) Other Investigation

X-Ray Chest. PA

(In normal person once in three year), (in case of any abnormality x-ray can be done at shorter intervals)

ECG-

(In case of any abnormality further test should be carried out)

Ultra Sound- Whole abdomen (in normal person once in three years in case of any abnormality can be done at shorter interval)

Other

(10) Pulmonary Function Test

	FCV	FEV 1	FEV 1/FVC
PREDICATED	<u>02.34</u>	<u>01.99</u>	<u>85.04</u>
MEASURED	<u>02.72</u>	<u>02.72</u>	<u>100.00</u>
% OF PREDICATED	<u>116</u>	<u>137</u>	<u>118</u>

Remark-

(11) Audiometry examination

PTA	Lt. Ear <u>16.6</u>	Rt. Ear <u>16.6</u>
Remark	<u>BIL Noisy</u>	

PTA of both ears at frequency 150, 250, 500, 1000, 2000, 4000, 8000 Cycles/sec

(12) Medical examination of canteen staff

- (a) Blood examination for venereal disease and routine blood examination
- (b) Stool and urine examination for worm infection
- (c) Screening for skin diseases (scabies and others)
- (d) X-ray and other tests for T. B.

13. Details of Other specific medical examination carried out as mentioned in the respective schedules of 107 of C.G. Factory rules 1962-

Signature (with date) of
 Factory Medical Officer





Signature (with date)
 Certifying surgeon

APOLLO DIAGNOSTIC CENTRE RAIPUR

181/5, Phase-I, Industrial Area, Chandigarh-160002

MR RAM GOPAL YADAV
BAJRANG CHEMICAL
Sons: RECORDERS
01-Feb-2025 01:37 PM

Age : 30 Years Gender : Male
Height : 165 Cms Smoker : No
Weight : 53 Kgs Eth. Corr: 70
ID: 309020 Temp :



Spirometry (FVC Results)						
Parameter	Pred	M.Pre	%Pred	M.Post	%Pred	%Imp
FVC (L)	02.34	02.72	116	---	---	---
FEV1 (L)	01.99	02.72	137	---	---	---
FEV1/FVC (%)	85.04	100.00	118	---	---	---
FEF25-75 (L/s)	03.01	03.38	112	---	---	---
PEFR (L/s)	06.19	07.30	118	---	---	---
FIVC (L)	---	02.60	---	---	---	---
FEV.5 (L)	---	02.04	---	---	---	---
FEV3 (L)	02.27	02.72	120	---	---	---
PIFR (L/s)	---	04.40	---	---	---	---
FEF75-85 (L/s)	---	01.81	---	---	---	---
FEF.2-1.2 (L/s)	05.12	05.43	106	---	---	---
FEF 25% (L/s)	05.53	05.94	107	---	---	---
FEF 50% (L/s)	04.05	03.48	086	---	---	---
FEF 75% (L/s)	02.14	02.23	104	---	---	---
FEV.5/FVC (%)	---	75.00	---	---	---	---
FEV3/FVC (%)	97.01	100.00	103	---	---	---
FET (Sec)	---	01.00	---	---	---	---
ExptTime (Sec)	---	00.04	---	---	---	---
Lung Age (Yrs)	030	019	063	---	---	---
FEV6 (L)	02.34	---	---	---	---	---
FIF25% (L/s)	---	01.31	---	---	---	---
FIF50% (L/s)	---	04.01	---	---	---	---
FIF75% (L/s)	---	03.20	---	---	---	---

Pre Test COPD Severity

Test within normal limits

Dr. Paras Jain
MBBS, DMR
Regd. No.-3850
Apollo Diagnostic Centre
RAIPUR (C.G.)

Pre Medication Report Indicates

Spirometry within normal limits as (FEV1/FVC)%Pred >95 and FVC%Pred >80.

PATIENT NAME : Mr. RAM GOPAL YADAV

DATE : 01/02/2025

AGE / SEX : 30 Y / Male

UHID NO. : 202512225538

REF DR. : BAJRANG

पोलो डायग्नोस्टिक सेंटर, अपोलो टॉवर, एक्सप्रेस हाईवे फ्लाई ओवर के पास देवेन्द्र नगर, रायपुर (छ.ग.) ☎ 4020988, 4017888

उपलब्ध सुविधाएँ

- 3.0 T एम.आर.आई. (साईलेंट)
- 96 स्लाइस होल बॉडी
स्पाइरल सी.टी.स्कैन
- लिथोट्रिप्सी ESWL
(लेजर द्वारा पथरी का इलाज)
- मास्टर हेल्थ चेकअप
- होल बॉडी कलर
सोनोग्राफी (5D)
- लीवर, ब्रेस्ट एवं थायराइड
इलास्टोग्राफी
- वेस्कुलर डापलर
- डिजिटल एक्स-रे
- डिजिटल पोर्टेबल एक्स-रे
- डिजिटल OPG एक्स-रे
- डिजिटल मेमोग्राफी
- कलर डापलर इकोकार्डियोग्राफी
- कम्प्यूटराइज़्ड TMT, ई.सी.जी.
- पैथालॉजी
- FNAC सायटोलॉजी
- कम्प्यूटराइज़्ड ई.ई.जी.
EMG, NCV,
- स्पाइरोमीटर (PFT)
- AMNIOCENTESIS
- C.V.S.
(Chorionic Villus Sampling)

BIO CHEMISTRY

PARAMETERS	RESULT	UNIT	REFERENCE VALUES
Urea	20.19	mg/dl	15 - 45
Creatinine	0.74	mg/dl	0.6 - 1.4
Uric Acid	4.06	mg/dl	3.6-7.0
SGOT (AST)	21.45	U/L	0-45
SGPT (ALT)	25.40	U/L	0-45
Alkaline phosphatase (ALP)	84.12	U/L	41-137
Total Cholesterol	142.30	mg/dl	Desirable <200 Borderline high 200-239 High >240
Triglycerides	114.25	mg/dl	Desirable <150 Borderline high 151-199 High 200-499 Very high >500
HDL Cholesterol	40.0	mg/dl	35-70
VLDL Cholesterol	22.85	mg/dl	7-35
LDL Cholesterol	79.45	mg/dl	Desirable <100 Above desirable 100-129 Borderline high 130-159 High 160-189 Very high >190
GLUCOSE RANDOM	105.0	mg/dl	80-140

Note - Please Correlate Clinically

Page 1 of 3



For appointment :
91934 89000, 91934 86000

- Skin Treatment
- Laser Treatment
- Hair Growth Treatment

3.0T एम.आर.आई. (साईलेंट)

पथरी का इलाज (लिथोट्रिप्सी)

एम्बुलेंस सेवा उपलब्ध

स्किन एंड लेजर ट्रीटमेंट

For-MRI, CT Scan Emergency- 9630898682, 9926892536

For appointment 0771 - 4017888, 4020988



जर्मनी से आयातित अत्याधुनिक सर्वश्रेष्ठ सीमेंस लिथोट्रिप्सी मशीन एवं डार्नियर लिथोट्रिप्सी मशीन द्वारा किडनी(गुर्दे), यूरैटर(पेशाबनली), पेशाब थैली(ब्लैडर), पित्तनली एवं पैनक्रियाज ग्रंथी में पथरी का उपचार बगैर ऑपरेशन, बिना भर्ती, बेहोशी, चीरफाड़ के उपलब्ध पूरे उपचार का रियायती दरों का पैकेज भी उपलब्ध।

पोलो स्टोन क्लीनिक, अपोलो टॉवर, एक्सप्रेस हाईवे फ्लाई ओवर के पास देवेन्द्र नगर, रायपुर (छ.ग.)
फोन-4020988, 4017888

Pt. MR : RAM GOPAL YADAV

SEX - M

Ref by : BAJRANG CHEMICAL

DATE- 01.02.2025

पोलो डायग्नोस्टिक सेंटर, अपोलो टॉवर, एम.प्रेस हाईवे फ्लाई ओवर के पास देवेन्द्र नगर, रायपुर (छ.ग.) ☎ 4020988, 4017888

उपलब्ध सुविधाएँ

DONE BY MOST ADVANCED LIVE 4 - D - RS-80A (SAMSUNG)
WHOLE BODY COLOUR DOPPLER MACHINE

• 3.0 T एम.आर.आई. (साईलेंट)

• 96 स्लाइस होल बॉडी

स्पाइरल सी.टी.स्कैन

• लिथोट्रिप्सी ESWL

(लेजर द्वारा पथरी का इलाज)

• मास्टर हेल्थ चेकअप

• होल बॉडी कलर

सोनोग्राफी (5D)

• लीवर, ब्रेस्ट एवं थायराइड

इलास्टोग्राफी

• वेस्कूलर डापलर

• डिजीटल एक्स-रे

• डिजीटल पोर्टेबल एक्स-रे

• डिजीटल OPG एक्स-रे

डिजीटल मेमोग्राफी

• कलर डापलर इकोकार्डियोग्राफी

• कम्प्यूटराइज्ड TMT, ई.सी.जी.

• पैथालॉजी

• FNAC सायटोलॉजी

• कम्प्यूटराइज्ड ई.ई.जी.

EMG, NCV,

• स्पाइरोमीटर (PFT)

• AMNIOCENTESIS

C.V.S.

(Chorionic Villus Sampling)

LIVER :- Appears normal in size and outline with normal homogenous echotexture. No focal parenchymal lesion seen.. Intrahepatic billiary radicles are not dilated, no calculi seen.

GALL BLADDER:- Appears normal in size, shape and gall bloadder stonr with polyps in lumen.

PV AND CBD:- Measurements are within normal limits. No calculi shadow seen in CBD.

PANCREAS :- Shows normal homogenous echotexture. No focal parenchymal Lesion seen.

BOTH KIDNEY:- Both kidneys appears normal in size, shape & echotexture, No focal parenchymal lesion seen. No evidence of stone, hydronephrosis or any mass lesion seen.

SPLEEN :- Appears normal in size, shape & echotexture.

URINARY BLADDER :- Appears normal in size, shape and wall thickness, No intraluminal pathology seen.

PROSTATE - Is normal is size shape & echotexture.

* No evidence of lymphadenopathies or ascites seen.

IMPRESSION: NORMAL U. S. study.

Dr. Paras Jain
MBBS. DMR
(Consultant Radiologist & Ultrasonologist)



For appointment :

91934 89000, 91934 86000

Skin Treatment

Laser Treatment

Hair Growth Treatment

3.0T एम.आर.आई. (साईलेंट)

पथरी का इलाज (लिथोट्रिप्सी)

एम्बुलेंस सेवा उपलब्ध

स्किन एंड लेजर ट्रीटमेंट

For-MRI, CT Scan Emergency- 9630898682, 9926892536

For appointment 0771 - 4017888, 4020988

जर्मनी से आयातित अत्याधुनिक सर्वश्रेष्ठ सीमेंस लिथोट्रिप्सी मशीन एवं डार्लियर लिथोट्रिप्सी मशीन द्वारा किडनी(गुर्दे), यूरेटर(पेशाबनली), पेशाब थैली(ब्लैडर), पित्तनली एवं पेनक्रियाज ग्रंथी में पथरी का उपचार बगैर ऑपरेशन, बिना भत्ती, बेहोशी, चीरफाड़ के उपलब्ध पूरे उपचार का रियायती दरों का पैकेज भी उपलब्ध।
पोलो स्टोन क्लीनिक, अपोलो टॉवर, एक्सप्रेस हाईवे फ्लाई ओवर के पास देवेन्द्र नगर, रायपुर (छ.ग.)
फोन-4020988, 4017888



POLLO
STONE
CLINIC

Pt. MR : RAM GOPAL YADAV

SEX - M

Ref by : BAJRANG CHEMICAL

DATE- 01.02.2025

पोलो डायग्नोस्टिक सेंटर, अपोलो टॉवर, एक्सप्रेस हाईवे फ्लाई ओवर के पास देवेन्द्र नगर, रायपुर (छ.ग.) 4020988, 4017888

उपलब्ध सुविधाएँ

- 3.0 T एम.आर.आई. (साईलेंट)
- 96 स्लाईस होल बॉडी
स्पाइरल सी.टी.स्कैन
- लिथोट्रिप्सी ESWL
(लेजर द्वारा पथरी का इलाज)
- मास्टर हेल्थ चेकअप
- होल बॉडी कलर
सोनोग्राफी (5D)
- लीवर, ब्रेस्ट एवं थायराईड
इलास्टोग्राफी
- वेस्कुलर डापलर
- डिजीटल एक्स-रे
- डिजीटल पोर्टेबल एक्स-रे
- डिजीटल OPG एक्स-रे
- डिजीटल मेमोग्राफी
- कलर डापलर इकोकार्डियोग्राफी
- कम्प्यूटाइज़्ड TMT, ई.सी.जी.
- पैथालॉजी
- FNAC सायटोलॉजी
- कम्प्यूटराइज़्ड ई.ई.जी.
- EMG, NCV,
- स्पाइरोमीटर (PFT)
- AMNIOCENTESIS
- C.V.S.
(Chorionic Villus Sampling)

X-RAY CHEST PA VIEW

- Both lung fields are clear no active parenchymal lesion seen.
- Both costophrenic angles are clear.
- Cardiothoracic ratio is within normal limits, Cardiac shadow shows no significant abnormality.
- Thoracic bone cage appears normal.
- Diaphragmatic outline are clearly delineated.

IMPRESSION:- Normal Findings.


Dr. Paras Jain
MBBS. DMR
(Consultant Radiologist &
Ultrasonologist)



For appointment :
1934 89000, 91934 86000

Skin Treatment
Laser Treatment
Hair Growth Treatment



3.0T एम.आर.आई. (साईलेंट)

पथरी का इलाज (लिथोट्रिप्सी)

एम्बुलेंस सेवा उपलब्ध

स्किन एंड लेजर ट्रीटमेंट

For-MRI, CT Scan Emergency- 9630898682, 9926892536

For appointment 0771 - 4017888, 4020988



जर्मनी से आयातित अत्याधुनिक सर्वश्रेष्ठ सीमेंस लिथोट्रिप्सी मशीन एवं डार्नियर लिथोट्रिप्सी मशीन द्वारा किडनी(गुर्दे), यूरैटर(पेशाबनली), पेशाब थैली(ब्लैडर), पित्तनली एवं पैनक्रियाज ग्रंथी में पथरी का उपचार बगैर ऑपरेशन, बिना भर्ती, बेहोशी, चीरफाड़ के उपलब्ध पूरे उपचार का रियायती दरों का पैकेज भी उपलब्ध।
पोलो स्टोन क्लीनिक, अपोलो टॉवर, एक्सप्रेस हाईवे फ्लाई ओवर के पास देवेन्द्र नगर, रायपुर (छ.ग.)
फोन-4020988, 4017888

POLLO

DIAGNOSTIC CENTRE

DATE 01-02-25
 NAME : MR RAM GOPAL YADAV
 AGE / SEX 30Y/M
 COMPANY : BAJRANG CHEMICAL

AUDIOGRAM



MODE EAR	AIR CONDUCTION		BONE CONDUCTION		COLOUR CODE	THRESHHOLD IN dB		LEFT	RIGHT
	MASKED	UNMASKED	MASKED	UNMASKED		AIR CONDUCTION			
LEFT	□	x	⌋	>	BLUE	BONE CONDUCTION		16.66666667	16.66667
RIGHT	△	○	⌈	<	RED	SPEECH			
NO RESPONSE : ADD ↓BELOW THE RESPECTIVE SYMBOLS									

REMARK : B/L NORMAL HEARING SENSITIVITY

Surbhi
Dr. SURBHI CHOPRA
 (CHATUR MOHTA)
 M.S. ENT, HEAD & Neck Surgery
 Reg. No.-G-54988



SHRI
BAJRANG
CHEMICAL
DISTILLERY LLP

Annexure 6

आरंग रायपुर (छ.ग.)

दिनांक: - 15.01.2025

सूचना

संस्थान में कार्यरत समस्त श्रमिकों एवं कर्मचारियों को सूचित किया जाता है कि पर्यावरण, सुरक्षा, व्यावसायिक स्वास्थ्य तथा स्वच्छता के प्रति जागरूकता प्रशिक्षण हेतु दिनांक 16 जनवरी 2025 दिन गुरुवार को संध्या 4 से संध्या 5 बजे तक **“बेल्ट कन्वेयर क्षेत्र में कार्य से सम्बंधित सुरक्षा जानकारी व प्रशिक्षण”** का आयोजन कारखाने के मीटिंग हॉल (प्रोसेस बिल्डिंग प्रथम तल) में किया जायेगा।

अतः आप सभी विभागाध्यक्षों से अनुरोध है कि अपने विभाग से कम से कम 3 से 4 श्रमिकों एवं कर्मचारियों को इस प्रशिक्षण कार्यक्रम में भेजे, ताकि लोग अधिक से अधिक संख्या में उपस्थित होकर प्रशिक्षण का लाभ उठावें।

धन्यवाद

कृते, श्री बजरंग केमिकल डिस्टिलरी एल एल पी

श्री बी. के. साही

कारखाना प्रमुख

प्रतिलिपि: 1. माननीय प्रबंध निदेशक/निदेशक महोदय - को सादर सूचनार्थ।

2. समस्त विभागाध्यक्ष।

3. समस्त सूचना पटल।



**SHRI
BAJRANG
CHEMICAL
DISTILLERY LLP**

Safety Awareness Training Program Attendance Sheet

Name of Trainer:- Praveen kumar..... Degination:- Safety Officer.....
Topic:- safety at conveyor belt area..... Location:- Meeting hall.....
Date:- 16/01/2025..... Time:- 4:00 PM.....

S. No.	Name	Designation	Department	Signature
1	R. Basuel	Sr. Mgr. Mech	Mech.	
2	Upendra Tiwari	Sr mgr. HR-Adm	HR	
3	J.N. Chakrabarti	Sr. Mgr. Instt.	Instt.	
4	Jeemachand patel	Jr. Engineer	civil	
5	Ajay K.S. Moll	Sr. Eng	Instt	
6	Balveer Singh	Asst. officer	Admin.	
7	Kul Singh Baraha.	W/H Inchar	Process	
8	Krishna Ky. Verma	Electrician	Electrical	
9	Shatrudev Jannu	supervisor	civil	
10	Tileeth veerney	C.P.T	Electrical	
11	Gagan Kumar Patel	D.E.T	electrical	
12	Pankaj Kumar Yadav	Asst Fitter	Mechanical	
13	Milkanth Jadan	Electrician	Electrical	
14	Saurabh Kumar	Welder	mechanical	
15	ASAY PURNA	Electrician	ELECTRICAL	
16	Nemichand Singh	Electrician	Electrician	
17	chandrasekhar chandane	-11-	-11-	
18	Rameswar prasad	Adm.	Pcon.	

Signature of Trainer

Signature of HOD's

SHRI BAJRANG CHEMICAL DISTILLERY LLP, ARANG,
DIST-RAIPUR, CHHATTISGARH.
(Training for: Safety at conveyor belt area)





SHRI
BAJRANG
CHEMICAL
DISTILLERY LLP

आरंग रायपुर (छ.ग.)

Date -06.05.2025

सूचना

संस्थान में कार्यरत समस्त कर्मचारियों को सूचित किया जाता है कि पर्यावरण, सुरक्षा, व्यावसायिक स्वास्थ्य तथा स्वच्छता के प्रति जागरूकता प्रशिक्षण हेतु दिनांक 07 मई 2025 दिन बुधवार को संध्या 4 से संध्या 5 बजे तक **अग्निशामक यंत्रों का उपयोग रख-रखाव तथा प्रदर्शन संबंधी जानकारी व प्रशिक्षण कार्यक्रम** " मेकनिकल वर्कशॉप के पास किया जायेगा ।

अतः आप सभी विभागाध्यक्षों से अनुरोध है कि अपने विभाग से कम से कम 3 से 4 कर्मचारियों को इस प्रशिक्षण कार्यक्रम में भेजे , ताकि लोग अधिक से अधिक संख्या में उपस्थित होकर प्रशिक्षण का लाभ उठावें ।

धन्यवाद

कृते , श्री बजरंग केमिकल डिस्टिलरी एल एल पी

श्री बी. के. साही

(कारखाना प्रमुख)

प्रतिलिपि : 1. माननीय प्रबंधक निदेशक /निदेशक महोदय --- को सादर सूचनार्थ ।

2 . समस्त विभागाध्यक्ष

3 . समस्त सूचना पटल



SHRI
BAJRANG
CHEMICAL
DISTILLERY LLP

Safety Awareness Training Program Attendance Sheet

Name of Trainer:- P. Anand Kumar..... Degination:- Safety officer.....

Topic:- Fire Fighting Training & Demonstration..... Location:- Fire station.....

Date:- 07/05/2025..... Time:- 4:00 PM.....

S. No.	Name	Designation	Department	Signature
01	Upendra Tiwari	Sr. mgr.	HRA	
02	Balvir Singh	Asst officer	Admin	
03	Dankishor Sahu	supervisor	Brick's plant	
04	Komal Deswangan	SIG	security	
05	Ajit Kumar	SIG	security	
06	Arvind Dhidhi	W.T.P. & CPU	W.T.P. CPU	
07	Nobel Maitray	GRET	Instrument	
08	Deepak Chandraker	chemist	WTP & CPU	
09	Bhupendra Chandraker	chemist	WTP & CPU	
10	Sachin Sahu	Teel.	Instrument	
11	Sevaram Lodi	Tr. operat	WTP/CPU	
12	Ranjit Yadav	chemist	WTP/CPU	
13	Jyoti Kesh	Tr. operat	WTP/CPU	
14	Nageshwar Thiruv	casual	CHP	
15	Bhanooshwar Sahu	filter wender	mechanic	
16	Vikram banjare	Asst Filter	Mechanics	
17	Duryesh kurre	Electrical	Electrician	
18	yogesh Pulkara	Electrical	- " -	
19	Rameshwar Pulkara	H.R.A.		
20	Komal TANIGAN	ELE	HELPA	

Signature of Trainer

Signature of HOD's

SHRI BAJRANG CHEMICAL DISTILLERY LLP, ARANG,
DIST-RAIPUR, CHHATTISGARH.
(Training for : Firefighting training and demonstration)



Photographs of Fire Tender



नगर सेना, अग्निशमन एवं आपातकालीन सेवाएँ तथा राज्य आपदा मोचन बल, मुख्यालय
सेक्टर - 19 अटल नगर नवा रायपुर, जिला रायपुर (छत्तीसगढ़)

अग्नि सुरक्षा प्रमाण पत्र

क्रमांक /00/ RPR00010547 /फायर सर्विस / एन°ओ°सी° / 2024 / रायपुर

दिनांक : 01/04/2024


प्रमाणित किया जाता है कि श्री SHRI BAJRANG CHEMICAL DISTILLERY LLP के परिसर Kh No 1151/2, Village Arang, Arang Kharora Road, Tehsil Arang, Raipur 493 441 में स्थित Shri Bajrang Chemical Distillery LLP का इस विभाग के निरीक्षणकर्ता अधिकारी श्री पुष्पराम सिंह द्वारा श्री श्री बिक्रम सिंह की उपस्थिति में दिनांक 28/03/2024 को राष्ट्रीय भवन संहिता भाग-IV 2016 के अनुसार अग्नि निवारण एवं अग्नि से बचाव संबंधित उपकरण एवं प्रणाली का निरीक्षण किया गया एवं संतोषजनक पाया गया। अतः निम्न शर्तों के अधीन एक वर्ष अवधि के लिए अग्नि सुरक्षा प्रमाण पत्र जारी किया जाता है।

शर्तें

- 1 सभी अग्नि सुरक्षा से संबंधित उपकरण/प्रणाली, निकास द्वार व्यवधान रहित एवं हमेशा अच्छी हालत में रखा जाए। इसमें किसी प्रकार की चूक के लिए प्रबंधन जवाबदार होगा।
- 2 अग्नि सुरक्षा प्रमाण पत्र जारी होने के पश्चात भवन में विस्तार एवं अन्य कार्य किया जाता है तो इस प्रमाण पत्र को निरस्त माना जावेगा।
- 3 अग्निशमन प्रणाली/उपकरणों को प्रचालित करने के संबंध में सभी कर्मचारियों को प्रशिक्षित किया जाए एवं नियमित रूप से आपदा की स्थिति में बाहर निकलने का मार्ग ट्रेल कर इसका रिकार्ड बना कर रखा जावे।
- 4 बेसमेंट का उपयोग करने में बिल्डिंग बाय लॉज का कड़ाई से पालन किया जावे।
- 5 मकान मालिक/कबजाधारी प्रतिवर्ष अग्नि की रोकथाम और सुरक्षा की स्थिति के संबंध में एक घोषणा पत्र प्रस्तुत करेंगे, जो पुनः निरीक्षण योग्य होंगे।
- 6 अग्नि सुरक्षा की दृष्टि से Shri Bajrang Chemical Distillery LLP में स्थापित सभी उपकरण हमेशा सुचारु रूप से चालू रखने की ज़िम्मेदारी पूर्णतः SHRI BAJRANG CHEMICAL DISTILLERY LLP की होगी जिसके लिए नगर सेना, अग्निशमन एवं आपातकालीन सेवाएँ तथा राज्य आपदा मोचन बल मुख्यालय छत्तीसगढ़ की कोई भी ज़िम्मेदारी नहीं रहेगी।



जारी दिनांक : 01/04/2024



प्राधिकृत अधिकारी के हस्ताक्षर

[Print](#) [Back](#)


भारत सरकार
Government of India
वाणिज्य और उद्योग मंत्रालय
Ministry of Commerce & Industry
पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पैसो)
Petroleum & Explosives Safety Organisation (PESO)
ई - 7/77, द्वितीय तल, लाला लाजपत राय सोसाइटी, 12 नंबर बस स्टॉप के पास, अरेरा कालोनी
भोपाल- 462016
E - 7/77, IInd Floor, Lala Lajpat Rai Society, Near 12 No. Bus Stop, Arera Colony,
Bhopal - 462016

E-mail : dyccebhopal@explosives.gov.in

Phone/Fax No : (0755) 2445270/2420775/4293966 FAX 2429997

संख्या /No. : P/CB/CG/15/742 (P528610)

दिनांक /Dated : 20/10/2023

सेवा में
/To,

M/s. SHRI BAJRANG CHEMICAL DISTILLERY LLP,
KH. NO. 173, URLA-GUMA ROAD, URLA GROWTH CENTER,
BORJHARA,
Taluka: Raipur,
District: RAIPUR,
State: Chhattisgarh
PIN: 493221

विषय : Khasra No, 1105/7, 1105/10, 1105/11, 1105/12, 1143, 1144, ON PLANT INTERNAL ROAD, AARANG, Arang, Taluka: Arang, District: RAIPUR, State: Chhattisgarh, PIN: 493441 में पेट्रोलियम वर्ग A का अधिष्ठापन -अनुज्ञप्ति जारी करने के बारे में ।
Petroleum Class A Installation at Khasra No, 1105/7, 1105/10, 1105/11, 1105/12, 1143, 1144, ON PLANT INTERNAL ROAD, AARANG, Arang, Taluka: Arang, District: RAIPUR, State: Chhattisgarh, PIN: 493441 Grant of License regarding.

महोदय
/Sir(s),

कृपया आपके पत्र क्रमांक OIN1501069 दिनांक 20/10/2023 का अवलोकन करें ।

Please refer to your letter No. OIN1501069 dated 20/10/2023

विषयान्तर्गत अधिष्ठापन में निम्नलिखित पेट्रोलियम पदार्थों के वर्ग तथा मात्रा के भंडारण के लिए पेट्रोलियम नियम, 2002 के अधीन प्ररूप - XV में स्वीकृत, दिनांक 31/12/2032 तक वैध अनुज्ञप्ति संख्या P/CB/CG/15/742 (P528610) दिनांक 20/10/2023 भेजी जा रही है ।

Licence No. P/CB/CG/15/742 (P528610) dated 20/10/2023 granted in Form XV under the Petroleum Rules, 2002 and valid till 31/12/2032 for the storage of the following kinds and quantities of Petroleum at the subject installation is forwarded herewith.

पेट्रोलियम का विवरण /Description of Petroleum	किलोलीटरों में अनुज्ञप्त क्षमता /Quantity licenced in KL
वर्ग क प्रपुंज पेट्रोलियम /Petroleum Class A in bulk	19480.00 KL
वर्ग क प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class A, otherwise than in bulk	NIL
वर्ग ख प्रपुंज पेट्रोलियम /Petroleum Class B in bulk	NIL
वर्ग ख प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class B, otherwise than in bulk	NIL
वर्ग ग प्रपुंज पेट्रोलियम /Petroleum Class C in bulk	NIL
वर्ग ग प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class C, otherwise than in bulk	NIL
कुल क्षमता /Total Capacity	19480.00 KL

कृपया पेट्रोलियम नियम 2002 के अधीन बनाए गए नियम 148 में दी गई प्रक्रिया का कड़ाई से पालन करें और अनुज्ञप्ति के नवीकरण हेतु समस्त दस्तावेजों को अनुज्ञप्ति की वैधता समाप्ति की तारीख या उससे पूर्व **Controller of Explosives, Raipur** को प्रेषित करें ।

Please follow the procedure strictly as laid down in rule 148 of the Petroleum Rules, 2002 and submit complete documents for the Renewal of the licence to **Controller of Explosives, Raipur**, so as to reach his office on or before the date on which Licence expires.

यह अनुमोदन/ अनुमति अन्य प्राधिकारियों से आवश्यक अनुमति/क्लीयरन्स प्राप्त करने से या यथा लागू अन्य विधियों से छूट नहीं देती है ।

This approval/permission, however, does not absolve from obtaining necessary permission/clearance from other authorities or under other statutes as applicable.

भवदीय /Yours faithfully,

((डा. एम.आइ.ज़ेड.अन्सारी)
(Dr. M.I.Z.Ansari))
संयुक्त मुख्य विस्फोटक नियंत्रक
Jt. Chief Controller of Explosives
भोपाल/Bhopal

Copy forwarded to :-

1. The Additional District Magistrate, RAIPUR(Chhattisgarh) with reference to his NOC No P/CG/RAP/P528610/1 (N550) Dated 28/06/2023
2. The Controller of Explosives, Raipur. A Copy of the licence along with approved plan is enclosed.

Jt. Chief Controller of Explosives
Bhopal

(अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क तथा अन्य विवरण के लिए हमारी वेबसाइट <http://peso.gov.in> देखें)
(For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)

Note:-This is system generated document does not require signature.

Disclaimer : This page gives the latest action taken by this organization on your application. This page is made available for the information of concerned applicant/licensee only. All efforts have been made to secure this information. However, PESO will not be responsible for any misuse of the information by unauthorized persons including the hackers.

SHRI BAJRANG CHEMICAL DISTILLERY LLP

SHRI BAJRANG CHEMICAL
DISTILLERY LLP. ARANG.

SURVEY AND EVALUTION BY: "SOCIETY FOR ENVIRONMENT &
INTEGRATED DEVELOPMENT RAIPUR"

PLANTATION SURVEY & EVALAUATION REPORT



EVALUATION OF GREENBELT DEVELOPMENT

FOR

M/s SHRI BAJRANG CHEMICAL DISTILLERY LLP

**SURVEY & EVALUATION BY: "SOCIETY FOR ENVIRONMENT & INTEGRATED
DEVELOPMENT RAIPUR" RAIPUR (C.G.)**

**GREENBELT: SURVEY & EVALUATION REPORT OF M/s SHRI
BAJRANG CHEMICAL LLP****INDEX**

S. N.	SUBJECT	PAGE
	PART - A	
1	Introduction	1
2	Project Objective	1
3	Area of Plantation, Details of Plantation	2
4	Plantation Sites	2 - 3
	PART - B	
1	Methodology	3
2	Planted Plants Measurement	3 - 4
3	Survival Plants Numbers and Percentage	5
4	Grading of Plantation	5
5	Pictures of Plantation	6 - 10
6	Discussion & Suggestion	11
7	A Word of Appreciation	12
8	Team - Involved Survey & Evaluation	13
9	ABOUT "SEIDR"	14 - 15

PART - A

EXECUTIVE SUMMARY

1. INTRODUCTION

M/s SHRI BAJRANG CHEMICAL Distillery LLP situated at Arang – Kharora road, village – Arang , Tahsil- Arang, Dist. – Raipur Chhattisgarh.

I. *Ethanol - 1× 200 KLPD*

II. *Power generation – 6.24MW*

2. REGISTER OFFICE: -

Kh.No. – 173, Village – Borjhara, Urla –Guma road, Urla Growth center, Raipur, District. Raipur Chhattisgarh.

3. Project Started – As per information provided by M/s SHRI BAJRANG CHEMICAL Distillery LLP, Details of project is as Under: -

I. Date of Commencement – 2021.

II. E C by MoEF New Delhi. Vide letter f.No. J -11011/470/2021-IA-II(I)

4. Plant Area: -M/s SHRI BAJRANG CHEMICAL Distillery LLP, Arang. Total Plant Land Area – 19.98 Hac. Plantation Area – 6.593Hac. (Green belt).

M/s SHRI BAJRANG CHEMICAL Distillery LLP. The green belt helps to capture the fugitive emission and attenuate the noise apart from improving the aesthetics quality of the region in the total area of the project site (Core Zone). 33% area is developed as green belt along the periphery of the plant. Development of green belt shall be helpful to improve ecological conditions and biodiversity status of the area.

Survey and Evaluation work was allotted by M/s SHRI BAJRANG CHEMICAL Distillery LLP. to our organization ‘Society for Environment & Integrated Development Raipur’ (C.G), work order was issued by **M/s SHRI BAJRANG CHEMICAL Distillery LLP.**Management, W.O. No.SBCDLLP/ENV. /2024-25/735, Dated 30-07-2024.

5. Project Objective

Plant species act as bio-monitoring agent to monitor the air environment as well as it keeps and maintains the project environment healthy by providing more oxygen. The two areas of air pollution i.e. gases and dust need to be urgently by using plants. Keeping this in mind, alleviate measures have been suggested to develop green belt based on local and physical conditions of the areas by taking the cognizance of “Green with Purpose” drive.

6. Area of Plantation (Green Belt): -During the field survey and study by our technical team it has been found that plantation work was started from the year 2022, start of project and is continued till date. Total area 19.98 ha. of the land proposed for this project and 33% or 1/3rd of total land 6.59ha. area is developed as green belt of the plant.As per Providing Information by M/s SHRIBAJRANG CHEMICAL Distillery LLP. Arang division.

7. Details of Plantation: -

Plant campus area plantation as per information provided by – M/s SHRIBAJRANG CHEMICAL Distillery LLP. Arang division.

Plant campus Plantation survey till date as per details given below:-

S.N.	Species	Planted plants No.	Survival Plants	Survival Percentage
1	Jamun, Shobabool, Teak, Ganga Imali, Shisham, GulMohar, Nilgiri, Siras, Dumar, Kusum, Alastonia, Karanj, Pelt form, Aonla, Ashok, Jam (Amrood), Bhelwa, Semal, Imali, Mango, Neem, Acacia, Pipal, Paras Pipal, Coconut, Amaltas, Jetrofa, Silver owk, Badam, Arjun, Kela (Banana), Munga, Ramphal, Akash Neem, Sisso, Seetaphal, Bamboos, Conocarpes and Kachnar etc.	16500	12045	73%
Total =		16500	12045	73%

8. Plantation sites: -

Plantation work is in progress along the plant boundary wall and inside the plant premises. Plantation survey has been carried out by expert team with the help of officer of M/s SHRIBAJRANG CHEMICAL Distillery LLP. Arang division. Following sapling were planted by M/s SHRIBAJRANG CHEMICAL Distillery LLP. as under -

- 1 Main gate with west side boundary wall to Labor rest rooms.
- 2 Beside Boiler along boundary wall.
- 3 Boiler Section.
- 4 Unit Back side along with back side and boundary wall.
- 5 Processing back side boundary wall.
- 6 Beside of Processing plant area Plantation.
- 7 In front of Office area.

- 8 Main gate left side to weight bridge
- 9 Weight bridge back side along with boundary wall.
- 10 Bicycles stand (Parking) Back side.
- 11 One garden side of office area.
- 12 Main gate to Processing Unit Road both side.

PART -B : Physical verification of Greenbelt and Evaluation Report

1. METHODOLOGY

- 1) All planted areas were inspected.
- 2) All small plants were counted and taken their measurement randomly and same has been recorded.
- 3) Height and Girth of plants and sapling have been measured randomly.
- 4) Survival percentage has been recorded.
- 5) Taking Photographs of nearby plantation sites.

2. M/s SBCDLLP (Arang) Planted Plants Measurement :

S.N.	Species	Average		Maximum		Minimum	
		Girth cm	Height m	Girth cm	Height m	Girth cm	Height m
1.	Arjun	15.12	3.68	22	4.50	10	2.50
2.	Kachnar	14.56	5.43	16	4.30	5	1.80
3.	Kaner	10.5	1.35	12	2.5	6	0.50
4.	Sisham	7.36	2.31	12	3.50	5	1.20
5.	Badam	15.37	3.1	22	3.50	12	2.50
6.	Gulmohar	18.88	2.17	30	5.00	10	1.20
7.	Mango	31.1	3.49	50	7.50	5	0.60
8.	Jam (Amrood)	19.17	3.40	35	4.50	8	1.85
9.	Neem	32.09	3.97	80	10	5	1.70
10.	Moulshri	7.83	18	10	2.50	6	0.50
11.	Chiku	12.7	2.16	18	3.80	12	1.60
12.	Jamun	41.85	39.85	90	8.50	18	2.00
13.	Aonla	7.87	1.85	12	3	5	0.80
14.	Kadamba	7.4	3.2	15	4	6	1.50

SHRIBAJRANG CHEMICAL DISTILLERY DIVISION ARANG

15.	Nimbu	9.33	1.75	12	2.10	6	1.40
16.	Rain tree	28.5	5.27	37	6	18	4.00
17.	Royal Palm	0.7	4.92	.80	6	.55	4.30
18.	Tagor chandani	4.25	0.78	5	.90	3	65
19.	Fishtail Palm	30.66	4.02	60	5.50	20	2.50
20.	Mayutpankhi	11.45	1.26	20	2.50	5	0.45
21.	Amaltash	9.25	2.28	12	3.50	6	1.50
22.	Conocarpus	17.77	3.74	35	5	8	3.00
23.	Mahoguini	10.4	3.05	12	4	7	2.00
24.	Champa	13.69	1.68	25	2.80	8	0.80
25.	Bel	5.92	0.77	10	1.50	3	0.35
26.	Lichi	6.35	0.50	10	1.20	3	0.25
27.	Sitaphal	10.5	1.60	20	2.80	4	0.60
28.	Bamboo	12.30	3.77	25	7	4	1.80
29.	Silver wok	13	1.97	20	3	6	1.50
30.	Foxtail palm	21.9	2.72	35	4	12	1.80
31.	Chandan Red	6.15	2.63	15	3.45	5	0.80
32.	Chandan white	5.04	1.76	12	3.50	4	1.00
33.	Paras papal	10.87	2.92	15	3.50	4	2.10
34.	Pipal	17.11	3.64	32	6.00	6	2.00
35.	Bargad	18.50	3.00	20	3.50	8	2.00
36.	Teak	12.75	2.6	18	3.50	6	1.50
37.	Mousambi	5.66	1.07	8	1.40	4	0.80
38.	Bogun Belia	0.82	5.90	8	1.20	4	0.40
39.	Other Misc.	5.90	1.52	18	2.50	5	1.00

3. Survival Plants No. and Percentage

PLANTED SPECIES AND PLANTS NUMBERS				
S. N.	Planted Species	Planted Species No.	Survival Plants	Survival %
M/s Shri Bajrang Alliance Chemical Distillery (Arang)				
1.		16500	12045	73%
	Total =	16500	12045	73%

4. Grading Of Plantation
A. GRADE CARD -M/s Shri Bajrang Alliance Chemical Distillery LLP
Grading of Plantation on scale of 1 to 10

Qualitative Aspects	Survival	8.50
	Health of Plantation	8.50
	Maintenance	8.00
	Sustainability	8.00

B. GRADING OF PLANTATION ON SCALE 1 TO 10

Overall Grading of Plantation	Outstanding (excellent) (8 – 10)	Very Good (5 < 8)	Good (3 < 5)	Poor (> 3)
	8.25			






5. Picture of plantation











6. DISCUSSION HELD WITH OFFICER AND MANEGMENT OF M/s Shri Bajrang Alliance Chemical Distillery LLP(Arang) AS UNDER: -

- | | | |
|------------------------------|---|----------------------|
| 1. Mr. B. K. Shahi | : | Plant Head |
| 2. Mr. Lt. Col. Swapan Sethi | : | GM Administration |
| 3. Mr. Ramavtar | : | Manager Horticulture |

7. SUGGESTION FOR THE IMPROVEMENT

1. Species – Fast growing species should be planted.
2. Plant should be planted after one-year age. Minimum height – 1 meter or above.
3. Irrigation facility should be provided to planted plants more.
4. Space should be 2×2, 3×3 maximum 4×4 according to maximum girth of trees after maturity.
5. Germination time – Humic Oxide should be used for better results.
6. Manure – Compost, Vermi compost for good age Urea, Dap, Zhaim should be used.
7. Priority to broader leaves plants should be planted.
8. Following species may be chosen to plantation – Karanj, Khamar, Kadamba, Teak, Shisham, Acacia, Arjun, Neem, Jamun, Mahuwa, Ashok, Nilgiri, Pipal, Amaltas, Sisso, Semal, Bottel Pam, Kesia samia, acacia, Conocarpes , Arjun, Kachnar, Parkia, Washing tonia, Factel Pam, Nariyal, Silver oak etc.
9. Termite & Other pests control should be done by Choloro cyper, Imida combine.
- 10.Plants should be planted regularly every year.
11. In Waterlogged area Kahuwa should be planted.
12. Hard and dry area Teak should be planted.
13. Soil of pits should be change with manure before planting.
14. For maintenance of survival percentage casualty replacement should be done every year. Above casualty of plants were not adding for area.
15. Plant should be planted in rainy season.

A WORD OF APPRECIATION

We appreciate all management officers and staff of **M/s Shri Bajrang Chemical Distillery LLP (Arang)** who has taken step to develop the green belt & greenery of area. We found that sapling has taken care well after plantation.

We appreciate the commitment and care taken by the management for developing the green belt and greenery within and outside of plant premises.

“Society for Environment & Integrated Development Raipur”

Raipur (Chhattisgarh)

THE TEAM INVOLVED IN SURVEY & EVALUATION

S.n.	Name	Job	Experience
	Shri S. K. Roy	Head of the Team	47 years experience C. G. Forest (Redt. ACF)
1	Shri D. K . Tiwari	Team Leader	16 years experience of forest and 8 years Industrial plantation survey related work
2	Shri Kamlesh Dubey	Coordinator	7 years experience of monitoring & evaluation industrial plantation survey work
3	Shri J. S. Viridi	Investigator	6 years experience of monitoring & evaluation of industrial plantation survey work

EXECUTIVE BODY OF "SEIDR"

NO.	Post	Name	Experience
1	President	Shri S.K. Roy	Retd. A.C.F. C.G. Govt.
2	Vice President	Shrimati Shobh Mishra	Professional
3	Secretary	Shrimati Asha Tiwari	Teacher (Private School)
4	Treasurer	Shri D.K. Tiwari	Professional

ABOUT THE EVALUATION AGENCY

Organization profile

Name of Organization	<i>"Society for Environment & Integrated Development Raipur"</i>
Status	<i>Non Government Organization {NGO} and working as Development and welfare.</i>
No. & Date of registration	<i>C. G. State – 3270. Date – 01/03/2011</i>
Registration	<i>Under Society Registration Act. – 1973.</i>
Resource Center Address	<i>J-9/A, ShriRam Nagar, Phase –I, Street – II, Post Office Shankar Nagar Raipur (C.G.) Pin Code – 492007.</i>
Phone	<i>+91- 771-3587611</i>
Chief Functionary	<i>Mr. S. K. Roy (Retd. A.C.F. Chhattisgarh Forest.) Mob. No. 094255 – 02223</i>
Contact Person	<i>Mr. D. K. Tiwari Mob. No. 96695 – 77114, 98261 – 86813</i>
Mail at	<i>seidraipur@gmail.com</i>
Bank with	<i>State Bank of India, Vip Estate colony Raipur (C.G) Account No. – 35731546062 (Current A/C) IFS Code - SBIN0013004, PAN - AAHAS3608L</i>

SEIDR MISSION

Is to release the creative energies resources and aspirations of the poor. Especially tribes, equality and women to seek and obtain opportunities for full effective sustainable participation in social, economic, political and cultural life of society and nation.

SEIDR VISION

SEIDR is society based on the values of genuine democracy, equality and peace for all its citizens, where people and government play their respective roles effectively with transparency and accountability.

Area of Operation

Intensively in all districts of Chhattisgarh state, with trained technical and professional staff.

OTHER MEMBER OF EXECUTIVE BODY

No.	Name	Experience
1	Jasveer singh Viradi	Professional
2	Prdeep Sahu	Professional
3	Akhil Shrivastava	Professional
4	Varun Tiwari	Labor Court Lawyer
5	Smt. Nirmala	Labor Court Lawyer
6	Prabhat Pandey	Electrical Engineer
7	Kamlesh Dubey	Professional

THANK YOU.

Action Plan for Development work at Gram Panchayat Amethi, Arang under CERFY 2025-26 to FY 2027-28

S.No.	Particular	Estimated Cost: Location: Gram panchayat Amethi		
		2025- 26 (A)	2026- 27 (B)	2027- 28 (C)
1	Passenger waiting hall, Amethi			20.0
2	Construction of Mukti Dham shed along with waiting hall, Amethi			25.0
3	Construction of public toilet, Amethi			10.0
4	Furniture (bench and table) 50 each in Govt. Primary School, Gudguda	5.0		
5	Painting and furnishing of Panchayat building	10.0		
6	Cleaning of ponds, Amethi	20.0		
7	Water supply arrangement via tanker	15.0		
8	Beautification of ponds	15.0		
9	Construction of CC road to Senkapat Temple, Amethi			50.0
10	Deepening of pond in Gudguda		15.0	
11	Furniture (bench and table) 30 each in Govt. Primary School, Amethi	3.0		
12	One computer sets in Govt. Primary School, Amethi	0.5		

13	One projector set in Govt. Primary School, Amethi	0.5		
14	Building repair in Govt. Primary School, Amethi		10.0	
15	Solar panel pump and Sintex water tank in Govt. Primary School, Amethi	2.0		
16	Plantation and tree guards in Govt. Primary School, Amethi	0.5		
17	Jhulas in Govt. Primary School, Amethi	2.0		
18	Three urinals in Govt. Primary School, Amethi	1.0		
	Total	74.5	25.0	105.0
	Total (A+B+C)	204.5		

Action Plan for Development work at Gram Panchayat Gullu, Arang under CER


FY 2025-26 to FY 2027-28


S.No.	Particular	Estimated Cost: Location: Gram panchayat Gullu, Arang		
		2025-26 (A)	2026-27 (B)	2027-28 (C)
1	4 tankers for drinking water supply, each with a capacity of 5000 liters	3.0	3.0	6.0
2	Borewell drilling	5.0	-	5.0
3	Painting and furnishing of the Panchayat building	10.0		
4	Cleaning of ponds and construction of platforms		15.0	
5	Solar panel pump and Sintex water tank	2.0		
6	Water cooler at Govt. Primary School, Gullu Guru Ghasidas Chowk	1.5		
7	Water tank arrangement at Govt. Primary School, Gullu Guru Ghasidas Chowk	1.5		
8	Construction of toilet and urinal for differently-abled at Govt. Primary School, Gullu Guru Ghasidas Chowk	0.5		
9	Arrangement of 10 sets of table-benches at Govt. Primary School, Gullu Guru Ghasidas Chowk	1.0		
10	Construction of swings for children at Govt. Primary School, Gullu Ghasidas Chowk	2.0		
11	CCTV and barbed wire fencing arrangement for safety at Govt. Primary School, Gullu Ghasidas Chowk		5.0	

12	Water cooler arrangement at Govt. Primary School, Patel Para, Gullu		3.0	
13	Kitchen repair and school building repair at Govt. Primary School, Patel Para, Gullu		2.0	
14	Arrangement of TV, projector, computer, cupboard, solar panel, and slide at Govt. Primary School, Patel Para, Gullu	5.0		
15	Prayer shed, gate repair, courtyard repair, wall painting, office table, and garden arrangement at Govt. Primary School, Patel Para, Gullu			10.0
16	Jhulas for children at Govt. Primary School, Patel Para, Gullu	2.0		
17	Table and chair for children at Govt. Primary School, Patel Para, Gullu	5.0		
	Total	38.5	28.0	21.0
	Total (A+B+C)	87.5		

Work done under CER
FY 2023-24

Primary School at Gram Panchayat Rasota, Janpad Panchayat Arang





Primary School at Gram Panchayat Pacheda, Janpad Panchayat Arang



कार्यालय ग्राम पंचायत रसोटा
जनपद पंचायत, आरंग, जिला- रायपुर

— प्रशस्ति पत्र —

गोयल ग्रुप द्वारा संचालित श्री बजरंग पावर एण्ड इस्पात लिमिटेड, उरला, रायपुर द्वारा ग्राम रसोटा में शासकीय पूर्व प्राथमिक शाला भवन का नव निर्माण कार्य किया गया है।

सामाजिक दायित्व निर्वहन (सी.एस.आर.) के तहत वित्तीय वर्ष 2023-24 में लगभग रुपये 16.64 लाख की लागत से शासकीय पूर्व प्राथमिक शाला भवन का निर्माण कार्य किया गया है।

ग्राम पंचायत, रसोटा व जनपद पंचायत, आरंग द्वारा आपको धन्यवाद प्रेषित करता है।

प्रमिता निषाद

सरपंच

ग्राम पंचायत, रसोटा

आरंग, जिला- रायपुर

सरपंच ग्राम पंचायत रसोटा

जनपद पंचायत, आरंग,

जिला- रायपुर

कार्यालय ग्राम पंचायत पचेड़ा
जनपद पंचायत, आरंग, जिला— रायपुर

— प्रशस्ति पत्र —

गोयल ग्रुप द्वारा संचालित श्री बजरंग पावर एण्ड इस्पात लिमिटेड, उरला, रायपुर द्वारा ग्राम पचेड़ा में शासकीय प्राथमिक शाला भवन का नव निर्माण कार्य किया गया।

सामाजिक दायित्व निर्वहन (सी.एस.आर.) के तहत वित्तीय वर्ष 2023-24 में लगभग रुपये 18.50 लाख की लागत से शासकीय प्राथमिक शाला भवन का निर्माण कार्य किया गया है।

ग्राम पंचायत, पचेड़ा व जनपद पंचायत, आरंग द्वारा आपको धन्यवाद प्रेषित करता है।


कार्यालय ग्राम पंचायत पचेड़ा
जनपद पंचायत, आरंग, जिला— रायपुर

कार्यालय ग्राम पंचायत पचेड़ा
जनपद पंचायत, आरंग,
जिला— रायपुर

कार्यालय - ग्राम पंचायत गुल्लू

जनपद पंचायत आरंग, जिला - रायपुर (छ.ग.)

सरपंच -

श्रीमती हर्षा चन्द्रशेखर साहू

मो. 9754565647



सचिव -

श्री हरमोहन बांधे

मो. 9009920039

उपसरपंच

योगेश्वर साहू

पंचगण

रितु साहू

रूपा पटेल

कविता धुव

नारायण साहू

परमेश्वर साहू

टिकेश साहू

मनटोरिया धीवर

टिकेश्वरी धीवर

संतोष साहू

सुग्रीव मरार

लुकेश्वरी साहू

अशोक यादव

कमलेश कुमार मनहरे

हीरम बाई बंजारे

नेमीचंद पटेल

प्रमिला पटेल

सतरूपा टण्डन

धनेश्वरी धीवर

अरविंद टंडन

क्रमांक.....

दिनांक 27-03-2025

प्रति,

श्री बजरंग केमिकल डिस्टिलरी एल एल पी आरंग रायपुर छत्तीसगढ़

विषय :-

कंपनी के पर्यावरणीय उत्तरदायित्व के निर्वहन के तहत विकास कार्य करने के बाबत।

महोदय,

आपसे निवेदन है कि ग्राम पंचायत गुल्लू विकास खंड आरंग में निम्न विवरण अनुसार विकास कार्यों की आवश्यकता है :-

क्र.	कार्य का नाम
1*	पेयजल की व्यवस्था हेतु टैंकर 4 नग क्षमता 5000 ltr.
2*	बोर खनन
3.	पंचायत भवन रंगरोगन एवं फर्नीचर
4.	तालाबों की सफाई व चबूतरा निर्माण
5*	सौर पैनल पंप एवं सिंटेक्स पानी टंकी
6*	शा. प्रा. शाला गुल्लू गुरु घासीदास चौक वाटर कूलर
7*	शा. प्रा. शाला गुल्लू गुरु घासीदास चौक पानी टंकी की व्यवस्था
8.	शा. प्रा. शाला गुल्लू गुरु घासीदास चौक दिव्यांग शौचालय व मूत्रालय निर्माण
9.	शा. प्रा. शाला गुल्लू गुरु घासीदास चौक 10 सेट टेबल बेंच की व्यवस्था

01

कार्यालय - ग्राम पंचायत गुल्लू

जनपद पंचायत आरंग, जिला - रायपुर (छ.ग.)

सरपंच -
श्रीमती हर्षा चन्द्रशेखर साहू
मो. 9754565647



सचिव -
श्री हरमोहन बांधे
मो. 9009920039

उपसरपंच

योगेश्वर साहू

पंचगण

रितु साहू

रूपा पटेल

कविता ध्रुव

नारायण साहू

परमेश्वर साहू

टिकेश साहू

मनटोरिया धीवर

टिकेश्वरी धीवर

संतोष साहू

सुग्रीव मरार

लुकेश्वरी साहू

अशोक यादव

कमलेश कुमार मनहरे

हीरम बाई बंजारे

नेमीचंद पटेल

प्रमिला पटेल

सतरूपा टण्डन

धनेश्वरी धीवर

अरविंद टंडन

क्रमांक.....

दिनांक 27-03-2021

10*	शा. प्रा. शाला गुल्लु घासीदास चौक मे झूला निर्माण बच्चों के लिए
11.	शा. प्रा. शाला गुल्लु घासीदास चौक मे सुरक्षा हेतु सीसी टीवी एवं काटीतार फेन्सिंग की व्यवस्था
12*.	शा. प्रा. शाला पटेल पारा गुल्लु मे वाटर कूलर की व्यवस्था
13.	शा. प्रा. शाला पटेल पारा गुल्लु मे किचन मरम्मत, शाला भवन मरम्मत
14.	शा. प्रा. शाला पटेल पारा गुल्लु मे टीवी, प्रोजेक्टर, कंप्यूटर, आलमारी, सौर पैनल, फिसल पट्टी की व्यवस्था
15.	शा. प्रा. शाला पटेल पारा गुल्लु मे प्रार्थना शेड, गेट मरम्मत, अहाता मरम्मत, दीवार पेंटिंग, ऑफिस टेबल, गार्डन की व्यवस्था
16*.	शा. प्रा. शाला पटेल पारा गुल्लु मे बच्चों के लिए झूला
17*.	शा. प्रा. शाला पटेल पारा गुल्लु मे बच्चों के लिए टेबल कुर्सी

अतः आपसे सादर निवेदन है कि उपरोक्त विवरण अनुरूप विकास कार्यों की स्वीकृति प्रदान करने की महान कृपया करें।

धन्यवाद!


सरपंच
ग्राम पंचायत गुल्लू
ज.पं.आरंग, जि.-रायपुर(छ.ग.)

कार्यालय - ग्राम पंचायत अमेठी

जनपद पंचायत आरंग, जिला - रायपुर (छ.ग.)

सरपंच -
श्रीमती कमलेश्वरी बांधे
मो. 9753808802



सचिव -
श्री गंगा प्रसाद साहू
मो. 9926141881

क्रमांक.....

दिनांक 18/03/2025

उपसरपंच

परमिता बंजारे

पंचगण

संजय कुमार भिफोर

मीना बाई मारकण्डे

ईश्वरी बाई यादव

माधव प्रसाद चन्द्राकर

गुमान दास घृतलहरे

रोहित कुमार सोनवानी

बरखा बांधे

ओमदास घृतलहरे

ओमप्रकाश चन्द्राकर

कांता बाई कुरे

मनिषा कुरे

प्रमिला बाई साहू

दयालु राम कुरे

प्रीति कुरे

गुरुशरण पाल कुरे

प्रति,

प्रबंधक महोदय

श्री बजरंग पावर एण्ड स्पात लिमिटेड

विषय :- विकास कार्य कराने बाबत।

महोदय,

आपसे निवेदन हैं कि ग्राम पंचायत अमेठी वि.खं. आरंग में निम्न विवरण अनुसार विकास कार्यों की आवश्यकता है :-

क्र.	कार्य का नाम
1	यात्री प्रतिक्शालय अमेठी
2	मुक्तिधाम शेड सह प्रतिक्शालय निर्माण अमेठी
3	सार्वजनिक शौचालय निर्माण अमेठी
4	शा.प्रा.शाला गुदगुदा में फर्निचर (बेंच एवं टेबल) 50-50 नग
5	पंचायत भवन रंगरोगन एवं फर्निचर
6	तालाबों की सफाई अमेठी
7	पेयजल ब्यवस्था हेतु टैंकर
8	तालाबों में सौदर्यीकरण
9	सीसी रोड निर्माण सेनकपाट मंदीर पहुंच मार्ग अमेठी
10	गुदगुदा में तालाब गहरीकरण
11	शा.प्रा.शाला अमेठी में फर्निचर (बेंच एवं टेबल) 30-30 नग
12	शा.प्रा.शाला अमेठी में कम्प्यूटर सेट 02 नग
13	शा.प्रा.शाला अमेठी में प्रोजेक्टर सेट 01 नग
14	शा.प्रा.शाला अमेठी में बिल्डिंग मरम्मत
15	शा.प्रा.शाला अमेठी में सौर पैनल पंप एवं सिंटेक्स पानी टंकी
16	शा.प्रा.शाला अमेठी में प्लांटेशन एवं ट्रीगार्ड

01.

कार्यालय - ग्राम पंचायत अमेठी

जनपद पंचायत आरंग, जिला - रायपुर (छ.ग.)

सरपंच -
श्रीमती कमलेश्वरी बांधे
मो. 9753808802



सचिव -
श्री गंगा प्रसाद साहू
मो. 9926141881

उपसरपंच

परमिता बंजारे

पंचगण

संजय कुमार भिफोर

मीना बाई मारकण्डे

ईश्वरी बाई यादव

माधव प्रसाद चन्द्राकर

गुमान दास घृतलहरे

रोहित कुमार सोनवानी

बरखा बांधे

ओमदास घृतलहरे

ओमप्रकाश चन्द्राकर

कांता बाई कुरें

मनिषा कुरें

प्रमिला बाई साहू

दयालु राम कुरें

प्रीति कुरें


गुरुशरण पाल कुरें


क्रमांक.....

दिनांक 18/03/2025

17	शा.प्रा.शाला अमेठी में झूला
18	शा.प्रा.शाला अमेठी में यूरीनल 03 नग

अतः आपसे सादर निवेदन हैं कि उपरोक्त विवरण अनुरूप विकास कार्यों की स्वीकृति प्रदाय करने की कृपा करे।


सचिव
ग्राम पंचायत अमेठी
ज प आरंग जि रायपुर (छ ग)


सरपंच
ग्राम पंचायत अमेठी
आरंग, जि रायपुर (छ ग)

To,
M/s BBN Energy,
Mahadev Ghat chowk,
Raipura, Raipur- 492001 (C.G)

Kind Attn: Mr. Prafulla Bhuwal (+91 98267 24392)

Sub: Purchase Order for Supply, Installation & Commissioning of Solar Water Pump Set.

Ref: Your offer vide quotation no. Nil dated 29.03.2025

Dear Sir,

With reference to your quotation received by us and subsequent discussion had with you, we are pleased to issue you Purchase Order for supply, Installation & Commissioning of 1 No. of 1 HP Solar Water DC Dual Pump Set under CSR at Govt. Primary School, Village: Amethi, Tehsil: Arang, District: Raipur (C.G) – 493441 as per following terms and conditions:

Scope of Work:

S.No	Particulars / Description of each set	Price of Each System (Amount In Rs.)	Qty	Total Amount (In Rs.)
1	Supply, Installation & Commissioning of 1 HP DC Dual Solar Water Pump Set (Detail Scope of Work is enclosed – Annexure – I)	Rs. 2,60,000/-	1 Set	Rs. 2,60,000/-
Total Payable (Rupees Two Lakh Sixty Thousand Only)				Rs. 2,60,000/-

Note:

- All Equipment's shall be as per guidelines of CREDA & MNRE Norms and make of equipment will be standard make.
- Any additional work / item, which is not mentioned in above scope of work but it's the integrated part of the system shall be arrange by you without any additional cost.
- You shall arrange for Name Plate mentioning your Company Name with Commissioning Date to be fitted on structure.

Terms & Conditions:

- Price** : Above Price will remain Firm till completion of this order.
- GST** : Extra as applicable
- Payment Terms** : i) 20% Advance along with work order.
ii) 60% payment before dispatch of complete system and Proforma Invoice.
iii) 20% after successfully Installation & commissioning of Equipment's.



**SHRI
BAJRANG
CHEMICAL
DISTILLERY LLP**

4. **Packing & Forwarding Charges** : Inclusive. All the materials shall be packed securely to avoid any damages during transit. Any damage due to packing / forwarding will be on supplier's account
5. **Delivery & Commissioning Schedule:** : Within 7 days from the receipt of materials at site.
6. **Warranty** : a) 5 years on complete system.
b) 25 Years on Modules.
7. **Freight** : Inclusive till Govt. Primary School, Village: Amethi, Tehsil: Arang, District: Raipur (C.G) – 493441
8. **Contact Person** : Mr. Kailash Yadav (+91 96175 52000)
9. **Installation & Commissioning** : Inclusive
10. **Plumbing Work** : Inclusive
11. **Civil Work** : Inclusive.
12. **Water Tank** : 2000 Ltr. (3 layer) Inclusive.
13. **Inspection** : At our site, final inspection on account of quality and specification.
14. **Billing Address** : **Shri Bajrang Chemical Distillery LLP,
Kh. No. 1105/7, Village & Tehsil: Arang,
District: Raipur - 493 441 (C.G)
GST No.: 22AENFS5080B1Z7**
15. **Jurisdiction** : This Purchase Order is subject to Raipur Jurisdiction only.

Please acknowledge acceptance of order and raise PI for release the payment as per terms of PO.

Thanking you,

Yours faithfully,

For **SHRI BAJRANG CHEMICAL DISTILLERY LLP**


AUTHORIZED SIGNATORY

Annexure – I**Detailed Scope of Work**

S.no.	Description of each set	Qty	General Details
1	1 Hp DC Solar Dual Pump Set with Controller (Pump Head - 70 mtr.)	1	Make – Kirloskar
2	Solar PV Module Make: Icon / Waaree	3	335 Wp x 3 (1005 W)
3	Hot Dip G.I. Mounting Structure (min 80 microns), foundation Bolt and SS fasteners	Lot	650 - 750 KG (Approx.). As per standard.
4	Structure Height	1	4.5 Mtr
5	3 layer 2000 Ltrs. Water Tank	1	Make : CG Plast/ Plasto
6	HDPE Roll Pipe (size -as per casing design) Length - 70mtr.	70 mtr.	Make: Reliance, Jain Pipes or HFCL
7	2.5 Sq.mm. 3 core cable length approx. 90 mtrs (1 Bundle) Make: Polycab, RR kabel , Havel's	90 mtr.	Make: Polycab, RR kabel , Havel's
8	Accessories : Pump Jointer ,Elbow/ Bent, Rope wire ,Nipple, Clamp,Nut bolt & Cable jointer kit etc.,	Lot	Make : Standard
9	UPVC Pipe -As per requirement. With fitment accessories. Connection from a) Bore Outlet to water tank b) Water Tank to Water Taps outlets (4 Nos.)	Lot	Make : Standard
10	Lightning Arrestor	1	Make : Standard



VASTHI ENVIRO

Industry: Shree Bajrang Chemical Distillery ,
Industry Code: 13CG528
Industry Category: Power Plant
Industry Type: Emission
Station : Stack1_Boiler
Raipur, Chhattisgarh
Shree Bajrang Chemical Distillery
Location- Arang

Annexure 10

	Stack1_Boiler(PM)	Stack1_Boiler(NOX)	Stack1_Boiler(SO2)
Range	0-250	0-1000	0-1000
Unit	mg/Nm3	mg/Nm3	mg/Nm3
Limit	NA	NA	NA
Min	20.31	24.76	24.89
Max	25.14	29.78	26.56
Avg	24.85	25.15	25.07

SL	Datentime	Stack1_Boiler(PM)	Stack1_Boiler(NOX)	Stack1_Boiler(SO2)
1	2025-03-01 00:00:00	25.08825	25.006549	25.073956
2	2025-03-02 00:00:00	24.879547	24.830934	25.005005
3	2025-03-03 00:00:00	25.07722	24.956296	25.165614
4	2025-03-04 00:00:00	25.084335	25.039641	25.119026
5	2025-03-05 00:00:00	25.009311	25.060064	24.946887
6	2025-03-06 00:00:00	24.912524	24.958206	25.034183
7	2025-03-07 00:00:00	25.037293	25.003222	24.958668
8	2025-03-08 00:00:00	25.063112	25.098932	25.009463
9	2025-03-09 00:00:00	24.886365	24.875984	25.108385
10	2025-03-10 00:00:00	25.042859	24.964194	25.074628
11	2025-03-11 00:00:00	25.018817	24.911111	25.046964
12	2025-03-12 00:00:00	25.058025	25.036637	25.011313
13	2025-03-13 00:00:00	24.996191	25.159418	24.944553
14	2025-03-14 00:00:00	24.983821	24.929398	24.945751

VASTHI ENVIRO

Industry: Shree Bajrang Chemical Distillery ,

Industry Code: 13CG528

Industry Category: Power Plant

Industry Type: Emission

Station : Stack1_Boiler

Raipur, Chhattisgarh

Shree Bajrang Chemical Distillery

Location- Arang

SL	Datentime	Stack1_Boiler(PM)	Stack1_Boiler(NOX)	Stack1_Boiler(SO2)
15	2025-03-15 00:00:00	25.141102	25.079132	25.006569
16	2025-03-16 00:00:00	24.973685	24.988831	25.019161
17	2025-03-17 00:00:00	24.939017	25.114244	25.025447
18	2025-03-18 00:00:00	25.004237	25.04231	24.925794
19	2025-03-19 00:00:00	24.926299	24.987514	24.974144
20	2025-03-20 00:00:00	24.97088	24.864855	24.998826
21	2025-03-21 00:00:00	25.036282	25.142679	25.05721
22	2025-03-22 00:00:00	25.133037	24.756547	25.049316
23	2025-03-23 00:00:00	24.895556	24.938578	24.894053
24	2025-03-24 00:00:00	25.057155	24.970698	24.96978
25	2025-03-25 00:00:00	25.033934	25.028785	25.052297
26	2025-03-26 00:00:00	24.894651	25.127521	24.993976
27	2025-03-27 00:00:00	24.926691	24.909504	25.012481
28	2025-03-28 00:00:00	24.942411	24.948213	25.152048
29	2025-03-29 00:00:00	25.065722	25.090778	24.987586
30	2025-03-30 00:00:00	24.929608	25.01267	25.072355
31	2025-03-31 00:00:00	20.309	29.780001	26.562



TEST REPORT

Annexure 10

Sample Number: VTL/AA/01-04

Name & Address of the Party

M/s SHRI BAJRANG CHEMICAL DISTILLERY LLP,
Khasra No.- 1151/2, Village- Arang, Arang
National Highway Road, Tehsil- Arang, Raipur,
Chhattisgarh, 493441

Report No.:

VTL/A/2412120001-04

Format No.:

7.8 F 02

Party Reference No.:

NIL

Sample Description :

Ambient Air Quality Monitoring

Report Date:

16/12/2024

Period of Analysis:

12-16/12/2024

Receipt Date

12/11/2024

General Information:-

Date of Sampling

: 09-10/12/2024

Sample collected by

: VTL Team

Instrument Calibration Status

: Calibrated

Meteorological condition during monitoring

: Clear sky

Surrounding Activity

: Human, Vehicular & Other Activities

Scope of Monitoring

: Regulatory Requirement

Sampling & Analysis Protocol

: IS-5182 & CPCB Guidelines

Latitude

: 21.487669

Longitude

: 81.769348

Sampling Duration

: 24 hrs.

Parameter Required

: As Per Work Order

Sr.	Sampling Location	PM 10 ($\mu\text{g}/\text{m}^3$)	PM 2.5 ($\mu\text{g}/\text{m}^3$)	NO2 ($\mu\text{g}/\text{m}^3$)	SO2 ($\mu\text{g}/\text{m}^3$)	CO (mg/m^3)
1.	Near WTP Area	81.64	42.12	22.34	11.63	0.74
2.	Near Main Gate Area	76.86	38.74	21.97	14.34	0.79
3.	Near Weight Bridge	69.72	35.10	15.84	8.67	0.56
4.	Near Receiver Storage	84.59	45.26	24.15	12.32	0.71
Limit		100	60	80	80	4
Protocol		IS:5182 (P-23)2006, RA 2017	IS:5182 (P-24)2019	IS:5182 (P-6)2006	IS:5182 (P-2)2001	IS:5182 (P-10)NDIR

-----End of the Report-----

Checked By



RK Yadav
Lab Incharge
Authorized Signatory

Approved & Certified EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Vibrant Techno Lab Pvt. Ltd.

SC-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020

9929108691, 9810205356, 8005707098, 9549956601

0141-2954638

bd@vibranttechnolab.com

www.vibranttechnolab.com

Sample Number: VTL/S/01
Name & Address of Party: M/s SHRI BAJRANG CHEMICAL DISTILLERY LLP,
Khasra No.- 1151/2, Village- Arang, Arang
National Highway Road, Tehsil- Arang, Raipur,
Chhattisgarh, 493441

Report No.: VTL/S/2412120001
Format No.: 7.8 F-03
Party Reference No.: NIL
Report Date: 16/12/2024
Period of Analysis: 12-16/12/2024

Sample Description :

Sample Collected : VTL Team
Date of Sampling : 10/12/2024
Time of Sampling : 11:00 to 11:49 Hrs.
Location : RCC Stack
Sampling duration (Minutes) : 49 Min.
Meteorological Condition : Clear Sky
Make Of Stack : MS
Stack Diameter : 3.3 m
Stack Height : 30.0 m
Instrument calibration status : Calibrated
Ambient Temperature - Ta (°C) : 25
Temperature of Stack Gases - Ts (°C) : 121
Velocity of Stack Gases (m/sec.) : 6.37
Flow rate of PM (LPM) : 21 (144395.06 Nm³/hr)
Sampling condition : Isokinetic
Method of Sampling : IS-11255 & EPA

RESULTS

S. No.	Parameter	Protocol	Units	Results	Limits
1.	Particulate Matter (PM)	IS: 11255 (P-1) : 1985, RA 2019	mg/Nm ³	26.12	30.0
2.	Oxide of Nitrogen (as NO _x)	IS- 11255 (P-7);2005, RA- 2017	mg/Nm ³	22.89	--
3.	Sulphur Dioxide (as SO ₂)	IS: 11255(P- 2): 1985, RA 2019	mg/Nm ³	62.37	100

Checked By



RK Yadav

Lab Incharge
Authorized Signatory

Approved & Certified EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Vibrant Techno Lab Pvt. Ltd.

SC-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020

9929108691, 9810205356, 8005707098, 9549956601

0141-2954638

bd@vibranttechnolab.com

www.vibranttechnolab.com

Sample Number: VTL/WW/01
Name & Address of Party: M/s SHRI BAJRANG CHEMICAL DISTILLERY LLP,
 Khasra No.- 1151/2, Village- Arang, Arang
 National Highway Road, Tehsil- Arang, Raipur,
 Chhattisgarh, 493441

Sample Description: Waste Water
Sample Collected by: VTL Team
Preservation: Refrigerated
Method of Sampling: APHA 23RD Edition
Sample Location: Plant Discharge Water

Report No.: VTL/WW/2412120002
Format No.: 7.8 F 01
Party Reference No.: NA
Report Date: 16/12/2024
Period of Analysis: 12-16/12/2024
Receipt Date: 12/12/2024
Sampling Date: 09/12/2024
Sampling Type: Grab
Sample Quantity: 2.0 Ltr.

Test Results

S. No.	Parameter	Test Method	Results	Unit	Limits
1.	pH (at 25 °C)	IS 3025 (P-11): 2022	7.18	--	5.5 to 9.0
2.	Total Suspended Solids	IS 3025 (P-17)	38.0	mg/l	100
3.	Oil & Grease	IS 3025 (P-39):2021	*BLQ(**LOQ-4.0)	mg/l	10
4.	BOD (3days at 27 °c)	IS 3025(P-44):2023	18.0	mg/l	30
5.	COD	IS: 3025 (P-58): 2023	110.0	mg/l	250

*BLQ= Below Limit of Quantification., **LOQ= Limit of Quantification.

Checked By



RK Yadav
 Lab Incharge
 Authorized Signatory

"Experience the unimaginable"

Sample Number: VTL/WW/02
Name & Address of Party: M/s SHRI BAJRANG CHEMICAL DISTILLERY LLP,
 Khasra No.- 1151/2, Village- Arang, Arang
 National Highway Road, Tehsil- Arang, Raipur,
 Chhattisgarh, 493441
Sample Description: Waste Water
Sample Collected by: VTL Team
Preservation: Refrigerated
Method of Sampling: APHA 23RD Edition
Sample Location: STP Outlet

Report No.: VTL/WW/2412120003
Format No.: 7.8 F 01
Party Reference No.: NA
Report Date: 16/12/2024
Period of Analysis: 12-16/12/2024
Receipt Date: 12/12/2024
Sampling Date: 09/12/2024
Sampling Type: Grab
Sample Quantity: 2.0 Ltr.

Test Results

S. No.	Parameter	Test Method	Results	Unit	Limits
1.	pH (at 25 °C)	IS 3025 (P-11): 2022	7.26	--	5.5 to 9.0
2.	Total Suspended Solids	IS 3025 (P-17)	24.0	mg/l	100
3.	Oil & Grease	IS 3025 (P-39):2021	*BLQ(**LOQ-4.0)	mg/l	10
4.	BOD (3days at 27 °c)	IS 3025(P-44):2023	15.0	mg/l	30
5.	COD	IS: 3025 (P-58): 2023	95.0	mg/l	250

*BLQ= Below Limit of Quantification., **LOQ= Limit of Quantification.

Checked By



RK Yadav
 Lab Incharge
 Authorized Signatory

**VIBRANT***"Experience the unimaginable"***TEST REPORT**

Sample Number: VTL/WW/03
Name & Address of Party: M/s SHRI BAJRANG CHEMICAL DISTILLERY LLP,
Khasra No.- 1151/2, Village- Arang, Arang
National Highway Road, Tehsil- Arang, Raipur,
Chhattisgarh, 493441

Sample Description: Waste Water
Sample Collected by: VTL Team
Preservation: Refrigerated
Method of Sampling: APHA 23RD Edition
Sample Location: ETP Outlet

Report No.: VTL/WW/2412120004
Format No.: 7.8 F 01
Party Reference No.: NA
Report Date: 16/12/2024
Period of Analysis: 12-16/12/2024
Receipt Date: 12/12/2024
Sampling Date: 09/12/2024
Sampling Type: Grab
Sample Quantity: 2.0 Ltr.

Test Results

S. No.	Parameter	Test Method	Results	Unit	Limits
1.	pH (at 25 °C)	IS 3025 (P-11): 2022	7.23	--	5.5 to 9.0
2.	Total Suspended Solids	IS 3025 (P-17)	21.0	mg/l	100
3.	Oil & Grease	IS 3025 (P-39):2021	*BLQ(**LOQ-4.0)	mg/l	10
4.	BOD (3days at 27 °c)	IS 3025(P-44):2023	19.0	mg/l	30
5.	COD	IS: 3025 (P-58): 2023	126.0	mg/l	250

*BLQ= Below Limit of Quantification., **LOQ= Limit of Quantification.

Checked By



RK Yadav
Lab Incharge
Authorized Signatory

Approved & Certified EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Vibrant Techno Lab Pvt. Ltd.

SC-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020
9929108691, 9810205356, 8005707098, 9549956601

0141-2954638

bd@vibranttechnolab.com

www.vibranttechnolab.com

Sample Number: VTL/W/01-03
Name & Address of Party: M/s SHRI BAJRANG CHEMICAL DISTILLERY LLP,
Khasra No.- 1151/2, Village- Arang, Arang
National Highway Road, Tehsil- Arang, Raipur,
Chhattisgarh, 493441

Report No.: VTL/W/2412120001-03
Format No.: 7.8 F 01

Sample Description:: Ground Water Sample
Sample Collected by VTL Team
Preservation: Refrigerated
Sampling & Analysis Protocol: IS-10500-2012

Party Reference No.: NA
Report Date: 16/12/2024
Period of Analysis: 12-16/12/2024
Receipt Date: 12/12/2024
Sampling Date: 10/12/2024
Sampling Type: Grab
Sample Quantity: 2.0 Ltr.

Test Results

S. No.	Parameter	Test Method	Near WTP Area 01	Near Store Building	Near WTP Area 02	Unit	IS: 10500: 2012	
							Acceptable Limit	Permissible Limit
1.	pH (at 25 °C)	IS 3025 (P-11): 2022	7.38	7.42	7.37	--	6.5-8.5	No Relaxation
2.	Biochemical Oxygen Demand (BOD)	IS: 3025 (P-44): 2023	*BLQ(**LOQ 5.0)	*BLQ(**LOQ 5.0)	*BLQ(**LOQ 5.0)	mg/l	--	--
3.	Chemical Oxygen Demand (COD)	IS : 3025 (P- 58) :2023	*BLQ(**LOQ 5.0)	*BLQ(**LOQ 5.0)	*BLQ(**LOQ 5.0)	mg/l	--	--
4.	Copper (as Cu)	APHA 24th Edition 3111 B, 2023	*BLQ(**LOQ 0.02)	*BLQ(**LOQ 0.02)	*BLQ(**LOQ 0.02)	mg/l	0.05	1.5
5.	Nickel (as Ni)	APHA 24th Edition 3111 B, 2023	*BLQ(**LOQ 0.01)	*BLQ(**LOQ 0.01)	*BLQ(**LOQ 0.01)	mg/l	0.02	No Relaxation
6.	Aluminium (as Al)	IS 3025 (P-55): 2003,RA: 2019	*BLQ(**LOQ 0.03)	*BLQ(**LOQ 0.03)	*BLQ(**LOQ 0.03)	mg/l	0.03	0.2
7.	Zinc (as Zn)	APHA 24th Edition 3111 B, 2023	*BLQ(**LOQ 0.2)	*BLQ(**LOQ 0.2)	*BLQ(**LOQ 0.2)	mg/l	5	15
8.	Total Dissolved Solids	IS 3025 (P-16): 1984RA: 2017	415.0	510.0	410.0	mg/l	500	2000
9.	Iron as (Fe)	APHA 24th Edition, 3111 B: 2023	*BLQ(**LOQ 0.1)	*BLQ(**LOQ 0.1)	*BLQ(**LOQ 0.1)	mg/l	0.3	No Relaxation

Note: - *BLQ-Below Limit Quantification, *LOQ- Limit of Quantification

Checked By



RK Yadav
Lab Incharge
Authorized Signatory

Approved & Certified EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Vibrant Techno Lab Pvt. Ltd.

SC-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020
9929108691, 9810205356, 8005707098, 9549956601

0141-2954638

bd@vibranttechnolab.com

www.vibranttechnolab.com

Sample Number: VTL/W/01-03
Name & Address of Party: M/s SHRI BAJRANG CHEMICAL DISTILLERY LLP,
Khasra No.- 1151/2, Village- Arang, Arang
National Highway Road, Tehsil- Arang, Raipur,
Chhattisgarh, 493441

Report No.: VTL/W/2412120004-06
Format No.: 7.8 F 01

Sample Description:: Water Sample
Sample Collected by VTL Team
Preservation: Refrigerated
Sampling & Analysis Protocol: IS-10500-2012

Party Reference No.: NA
Report Date: 16/12/2024
Period of Analysis: 12-16/12/2024
Receipt Date: 12/12/2024
Sampling Date: 10/12/2024
Sampling Type: Grab
Sample Quantity: 2.0 Ltr.

Test Results

S. No.	Parameter	Test Method	Near Panchmukhi Shiv Mandir Temple	Near Pani Tanki Arang	Near Amethi Village No.-2 (Downstream)	Unit	IS: 10500: 2012	
							Acceptable Limit	Permissible Limit
1.	pH (at 25 °C)	IS 3025 (P-11): 2022	7.48	7.41	7.62	--	6.5-8.5	No Relaxation
2.	Biochemical Oxygen Demand (BOD)	IS: 3025 (P-44): 2023	*BLQ(**LOQ 5.0)	*BLQ(**LOQ 5.0)	*BLQ(**LOQ 5.0)	mg/l	--	--
3.	Chemical Oxygen Demand (COD)	IS : 3025 (P- 58) :2023	*BLQ(**LOQ 5.0)	*BLQ(**LOQ 5.0)	10.0	mg/l	--	--
4.	Copper (as Cu)	APHA 24th Edition 3111 B, 2023	*BLQ(**LOQ 0.02)	*BLQ(**LOQ 0.02)	*BLQ(**LOQ 0.02)	mg/l	0.05	1.5
5.	Nickel (as Ni)	APHA 24th Edition 3111 B, 2023	*BLQ(**LOQ 0.01)	*BLQ(**LOQ 0.01)	*BLQ(**LOQ 0.01)	mg/l	0.02	No Relaxation
6.	Aluminium (as Al)	IS 3025 (P-55): 2003,RA.: 2019	*BLQ(**LOQ 0.03)	*BLQ(**LOQ 0.03)	*BLQ(**LOQ 0.03)	mg/l	0.03	0.2
7.	Zinc (as Zn)	APHA 24th Edition 3111 B, 2023	*BLQ(**LOQ 0.2)	*BLQ(**LOQ 0.2)	*BLQ(**LOQ 0.2)	mg/l	5	15
8.	Total Dissolved Solids	IS 3025 (P-16): 1984RA: 2017	340.0	570.0	648.0	mg/l	500	2000
9.	Iron as (Fe)	APHA 24th Edition, 3111 B: 2023	*BLQ(**LOQ 0.1)	*BLQ(**LOQ 0.1)	0.21	mg/l	0.3	No Relaxation

Note: - *BLQ-Below Limit Quantification, *LOQ- Limit of Quantification

Checked By



RK Yadav
Lab Incharge
Authorized Signatory

Approved & Certified EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Vibrant Techno Lab Pvt. Ltd.

SC-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020
9929108691, 9810205356, 8005707098, 9549956601

0141-2954638
bd@vibranttechnolab.com
www.vibranttechnolab.com

**VIBRANT**

"Expect the Unimagineable"

TEST REPORT

Sample Number: VTL/ N/01-10
Name & Address of Party: M/s SHRI BAJRANG CHEMICAL DISTILLERY LLP,
Khasra No.- 1151/2, Village- Arang, Arang
National Highway Road, Tehsil- Arang, Raipur,
Chhattisgarh, 493441
Sample Description : Ambient Noise Level Monitoring

Report No.: VTL/N/2412120001-10
Format No.: 7.8 F-04
Party Reference No.: NIL
Report Date: 16/12/2024
Receipt Date: 12/12/2024

General Information:-

Sample collected by : VTL Team
Instrument Used : Sound Level Meter
Instrument Calibration Status : Calibrated
Instrument Code : VTL/SLM/01-05
Meteorological condition during monitoring : Clear Sky
Scope of Monitoring : Regulatory Requirement
Sampling & Analysis Protocol : IS 9989-1981 RA: 2020
Parameter Required : As per Work Order

S. No.	Location	Date	Test Parameter	Test Result dB (A)	
				Day Time	Night Time
1.	Near WTP Area	09-10/12/2024	Leq	69.5	58.4
2.	Near Main Gate Area	09-10/12/2024	Leq	62.3	51.8
3.	Near Admin Office	09-10/12/2024	Leq	57.8	49.9
4.	Near Raw Material Yard	09-10/12/2024	Leq	60.5	51.2
5.	Nr. Milling Area	08-09/12/2024	Leq	70.5	66.2
6.	Nr. Power Plant (Boiler Area)	08-09/12/2024	Leq	72.3	68.5
7.	Nr. Power Plant (Ground Floor)	08-09/12/2024	Leq	68.6	63.8
8.	Nr. Power Plant (Turbine Floor)	08-09/12/2024	Leq	73.1	62.6
9.	Dryer Area	08-09/12/2024	Leq	71.8	64.5
10.	Grain Handling Section Area	09-10/12/2024	Leq	65.0	59.9

Category of Zones	Leq in dB (A)	
	Day	Night
Industrial	75	70
Commercial	65	55
Residential	55	45
Silence Zone	50	40

1. Day Time is from 6.00 AM to 10.00 PM.
2. Night Time is reckoned between 10.00 PM to 6.00 AM.
3. Silence Zone is defined as an area up to 100 m around premises of Hospitals, Educational and Courts. Use of vehicle horn, Loudspeaker and bursting of crackers is banned in these zones.
Note: Mixed categories of areas be declared as one of the four above mentioned categories by the competent Authority and the corresponding standards shall apply

Checked By



RK Yadav
Lab Incharge
Authorized Signatory

Approved & Certified EPA 1986 Recognised, ISO:9001 and OHSAS:45001 Certified

Vibrant Techno Lab Pvt. Ltd.


SC-40, 3rd Floor, Narayan Vihar S, Ajmer Road, Jaipur Raj. 302020
9929108691, 9810205356, 8005707098, 9549956601

0141-2954638


bd@vibranttechnolab.com

www.vibranttechnolab.com

ENVIRONMENT, HEALTH & SAFETY MANAGEMENT CELL (SBCD LLP, ARANG)



Laboratory





5. SHRI BAJRANG CHEMICAL DISTILLERY LLP

Annexure 12

SBCD LLP Arang Division (Six Monthly EC Compliance Report Apr'24- Sep'24 and Monitoring Report) DOWNLOAD PDF 	EC of ethanol plant (Shri Bajrang Chemical Distillery LLP) DOWNLOAD PDF 	EC related newspaper advertisement DOWNLOAD PDF 
--	---	---

SBCDLLP/ENV/24-25/ 1160

Date: 28.09.2024

To,
The Member Secretary,
Chhattisgarh Environment Conservation Board,
Paryawas Bhawan, North Block, Sector-19
Atal Nagar, Naya Raipur (C.G.)

Sub: Submission of Environment Statement (Form-V) for the FY 2023-24.

Dear Sir,

With reference to above cited subject, we are submitting herewith Environment Statement (Form-V) for our M/s Shri Bajrang Chemical Distillery LLP, at Kh. No. 1105/7, Kharora Road, village & Tehsil-Arang Dist. Raipur- 493441 (C.G), as per provision of Environment (Protection) amendment Rule 1993 for the year ending 31/03/2024 in prescribed format, as required by you.

Please acknowledge the receipt of the same.

Thanking You.

Yours Faithfully,

For, Shri Bajrang Chemical Distillery LLP, Arang



G R Telang
(DGM- EHS)

Encl: As above.

**CC: The Regional Officer, Chhattisgarh Environment Conservation Board, New office
Building, Ring Road No. 2 Tatibandh Raipur (C.G.)**

The Environment (Protection) Rules, 1986

(FORM – V)

(See rule 14)

Environmental Statement for the financial year ending the 31st March'2024

PART – A

- (i) Name and address of the occupier of the industry operation or process. : **Shravan Kumar Goyal
Shri Bajrang Chemical Distillery LLP
Kh. No. 1105/7, Kharora Road, village &
Tehsil-Arang Dist. Raipur- 493441 (C.G)**
- (ii) Industry category Primary – (STC code) : **Secondary**
Secondary – (SIC Code)
- (iii) **Units & Production Capacity –** :
1. (A) Multigrain Distillery - **200 KLPD**
(B) Co-Generation Power Plant - **6.24 MW**
- (iv) **Year of establishment -**
1. Multigrain Distillery - **2023**
2. Co-Generation Power Plant - **2023**
- (v) Date of the last environmental Statement submitted. : **FY-2023-24**

PART – B

Water and Raw Material Consumption

- (1) Water consumption:
- Process : **900 KLD**
- Domestic : **60 KLD**

Name of Products:	Process Water Consumption per Unit of Product Output	
	During the previous Financial year 2022-23	During the Current Financial year 2023-24
(1) Chemical Distillery	Not Established	900 KLD

(II) Raw Material Consumption:-

Name of raw material	During the previous Financial year 2022-23	During the Current Financial year 2023-24
	Raw Material Consumption Quantity	

Chemical Distillery

Maize	-	- MT	17964.38 MT
Broken Rice/DFG	-	- MT	28601.424 MT

*Industry may use codes if disclosing details of raw material would violate contractual obligations, otherwise all industries have to name the raw materials used.

PART – C

**Pollution discharged to environment/unit of output
(Parameter as specified in the consent issued)**

(1) Pollutants	Quantity of pollutants Discharged (mass/day)	Concentrations of pollutants in discharges (mass/volume)	Percentage of variation from Prescribed standards with reasons
(a) Water	No disposal of polluted water from factory to outside.		
(b) Air	It meets the required standard prescribed by the board.		

PART – D**HAZARDOUS WASTES**

(As specified under Hazardous Wastes/Management and Handling Rules, 1989)

Hazardous Waste	Total Quantity (Kg)	
	During the previous Financial year 2022-23	During the Current financial year 2023-24
	-	NA

- (a) From Process : As mentioned above Hazardous Waste
- (b) From pollution control facilities : No Generation of Hazardous waste.

PART – E**Solid Waste****Total Quantity (Kg)**

	During the previous Financial year <u>2022-23</u>	During the Current financial year <u>2023-24</u>
(a) From process:		
DDGS (By Product)	- MT	6708 MT
* Balance quantity is used in our plant.		
(b) From Pollution control facility :		
ESP Dust	- MT	6041.48 MT
(c) Quantity recycled or Re-utilized within the unit :	- MT	227.76 MT
(d) Land Filling :	- MT	0.0 MT

* Balance quantity sold to outside bricks manufacturing unit.

* Commencement of production start from the 12.12.2023

PART – F

Please specify the characterization (in terms of composition of quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

All solid wastes are being disposed off in safe & scientific manner under the zero-waste disposal concept.

PART – G

Impact of the pollution abatement measures taken on conservation of natural resources and on the cost of production.

Measures include Captive consumption of Char/Dolochar in boiler so as to avoid burning of coal and Consumption of Ash is done in our In-House Fly Ash Brick Manufacturing Unit keeping in view conservation of environment as well as of natural Resources.

PART – H

Additional measures/investment proposal for environment protection including abatement of Pollution, prevention of pollution.

Solid waste Management, RCC Road Construction inside the Premises, Extensive Tree Plantation and up keeping of all Pollution Control Equipment online stack emission monitoring systems is installed for monitoring of stack emissions and taking corrective action accordingly.

PART – I

Any other particulars for improving the quality of the environment.

Recycle of almost all solid wastes so as to ensure no disposal of any solid waste from factory to outside.

Deshbandhu- Raipur 19/12/2021



Amrit Sandesh- Raipur 19/12/2021

